

Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector postprint

Authors: Aad, Georges and others

Date: 2016-09-09T00:00:00+00:00

Abstract

A search for Higgs boson decays to invisible particles is performed using 20.3 fb⁻¹ of pp collision data at a centre-of-mass energy of 8 TeV recorded by the ATLAS detector at the Large Hadron Collider. The process considered is Higgs boson production in association with a vector boson ($V = W$ or Z) that decays hadronically, resulting in events with two or more jets and large missing transverse momentum. No excess of candidates is observed in the data over the background expectation. The results are used to constrain VH production followed by H decaying to invisible particles for the Higgs mass range 115

Higgs boson hadronically pp collisions ATLAS detector

Classification:

Physics

>>

Nuclear Physics

Citation:

ChinaXiv:201609.00240 (or this version

ChinaXiv:201609.00240V1)

DOI:10.12074/201609.00240V1 CSTR:32003.36.ChinaXiv.201609.00240.V1

Sci-Tech Chain TXID:

7010ddf2-9b1a-4f79-a7ec-d16c55fbbc26

Recommended citation: Aad, Georges and others. Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Chinese Academy of Sciences Preprint Platform. [ChinaXiv:201609.00240V1] (Click to copy)

Full Text

Preamble

Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector

The ATLAS Collaboration

Abstract

A search for Higgs boson decays to invisible particles is performed using 20.3 fb^{-1} of pp collision data at a centre-of-mass energy of 8 TeV recorded by the ATLAS detector at the Large Hadron Collider. The process considered is Higgs boson production in association with a vector boson ($V = W$ or Z) that decays hadronically, resulting in events with two or more jets and large missing transverse momentum. No excess of candidates is observed in the data over the background expectation. The results are used to constrain $V H$ production followed by H decaying to invisible particles for the Higgs boson mass range $115 < m_H < 300$ GeV. The 95% confidence-level observed upper limit on $\sigma V H \times \text{BR}(H \rightarrow \text{inv.})$ varies from 1.6 pb at 115 GeV to 0.13 pb at 300 GeV. Assuming Standard Model production and including the $gg \rightarrow H$ contribution as signal, the results also lead to an observed upper limit of 78% at 95% confidence level on the branching ratio of Higgs bosons decays to invisible particles at a mass of 125 GeV.

1 Introduction

Since the discovery of a Higgs boson with a mass of approximately 125 GeV [1, 2] at the LHC in 2012, the properties of this new particle have been studied extensively. All results obtained so far [3-9] are consistent with the expectations of the long-sought Standard Model (SM) Higgs boson [10-13]. However, sizeable deviations from the SM expectation cannot be yet excluded; the total branching

ratio of beyond-the-SM decays of the Higgs boson is only weakly constrained, and its value could be as high as 40% [8, 14]. One possible decay is to weakly interacting particles, as predicted by many extensions of the SM, e.g. Higgs boson portal models [15–18]. In these models, the Higgs boson can decay to a pair of dark-matter particles if kinematically allowed. These decays are generally “invisible” to detectors, resulting in events with large missing transverse momentum (E_{T}^{miss}).

Searches for Higgs boson decays to invisible particles ($H \rightarrow \text{inv.}$) have been performed by both the ATLAS and CMS collaborations [14, 19]. For example, the ATLAS Collaboration has placed an upper limit of 75% [19] on the branching ratio of $H \rightarrow \text{inv.}$ from Higgs boson production in association with a Z boson identified from its leptonic decays ($Z \rightarrow ee, \mu\mu$). The present paper describes an independent search for the $H \rightarrow \text{inv.}$ decay in final states with two or more jets and large E_{T}^{miss} , motivated by Higgs boson production in association with a vector boson V ($V = W$ or Z): $q \bar{q}' \rightarrow V H$. The vector boson is identified through its decay to a pair of quarks, reconstructed as hadronic jets in the ATLAS detector, $V \rightarrow jj$. Gluon fusion production $gg \rightarrow H$ followed by $H \rightarrow \text{inv.}$ can also lead to events with two or more jets and large E_{T}^{miss} , and therefore contributes to the signal of the search. Negligible contributions of approximately 1% and 0.2% to the sensitivity come from $q \bar{q}' \rightarrow q \bar{q}' H$ production via vector-boson fusion (VBF) and from $qq/gg \rightarrow t \bar{t} H$ (ttH) production, respectively. The VBF contribution is strongly suppressed by the $m_{\{jj\}}$ (dijet invariant mass) window cuts and by the forward-jet veto used to reduce the top quark-antiquark background ($t \bar{t}$), as described in Sect. 4. In a previous ATLAS dark-matter search, limits on Higgs boson decays to invisible particles in $V H$ production were set using events with a hadronically decaying vector boson and E_{T}^{miss} as well [20]. However, the present analysis achieves better sensitivity by using different techniques and performing dedicated optimizations.

2 Experimental setup

This search is based on proton-proton collision data at a centre-of-mass energy of 8 TeV recorded with the ATLAS detector [21] in 2012, corresponding to an integrated luminosity of 20.3 fb^{-1} . The ATLAS detector is a general-purpose detector with an inner tracking system, electromagnetic and hadronic calorimeters, and a muon spectrometer surrounding the interaction point. The inner tracking system is immersed in a 2 T axial magnetic field, and the muon spectrometer employs a toroidal magnetic field.

Only data recorded when all subdetector systems were functional are used in this analysis.

The trigger system is organised in three levels. The first level is based on custom-made hardware and uses coarse-granularity calorimeter and muon information. The second and third levels are implemented as software algorithms and use the full detector granularity. At the second level, only regions deemed interesting at

the first level are analysed, while the third level, called the event filter, makes use of the full detector read-out to reconstruct and select events, which are then logged for offline analysis at a rate of up to 400 Hz averaged over an accelerator fill.

3 Object reconstruction and simulated samples

Jets are reconstructed using the anti-kt algorithm [22] with a radius parameter of $R = 0.4$. Jet energies are corrected for the average contributions from minimum-bias interactions within the same bunch crossing as the hard-scattering process and within neighbouring bunch crossings (pile-up). Furthermore, for jets with $p_{\text{T}} < 50$ GeV and $|\eta| < 2.4$, the scalar sum of the p_{T} of tracks matched to the jet and originating from the primary vertex must be at least 50% of the scalar sum of the p_{T} of all tracks matched to the jet, to suppress jets from pile-up interactions. Jets must have $p_{\text{T}} > 20$ GeV ($p_{\text{T}} > 30$ GeV) for $|\eta| < 2.5$ ($2.5 < |\eta| < 4.5$).

Jets containing b-hadrons (b-jets) are identified (b-tagged) using the MV1c algorithm, which is an improved version of the MV1 algorithm [23] with higher rejection of jets containing c-hadrons (c-jets). It combines in a neural network the information from various algorithms based on track impact-parameter significance or explicit reconstruction of secondary decay vertices. The operating point of this algorithm chosen for this analysis has an efficiency of about 70% for b-jets in $t\bar{t}$ events and a c-jet (light-jet) mis-tag rate less than 20% (1%).

Lepton (electron or muon) candidates are identified in two categories: loose and tight, in order of increasing purity. Electron candidates are reconstructed from energy clusters in the electromagnetic calorimeter matched to reconstructed tracks in the inner tracking system. They are identified using likelihood-based methods [24, 25]. Loose electrons must satisfy “very loose likelihood” identification criteria and are required to have $p_{\text{T}} > 7$ GeV and $|\eta| < 2.47$. Tight electrons are selected from the loose electrons and must also satisfy the “very tight likelihood” identification criteria. Muon candidates are reconstructed using information from the inner tracker and the muon spectrometer [26]. Loose muons are required to have $p_{\text{T}} > 7$ GeV and $|\eta| < 2.7$. Tight muons are then selected from the loose muons, by requiring $p_{\text{T}} > 25$ GeV and $|\eta| < 2.5$. They must be reconstructed in both the muon spectrometer and the inner tracker. For the loose leptons, the scalar sum of the transverse momenta of tracks within a cone of size $\Delta R = \sqrt{(\Delta\phi)^2 + (\Delta\eta)^2} = 0.2$ around the lepton candidate, excluding its own track, is required to be less than 10% of the transverse momentum of the lepton. For the tight leptons, there are more stringent isolation requirements: the sum of the calorimeter energy deposits in a cone of size $\Delta R = 0.3$ around the lepton candidate, excluding the energy associated with it, must be less than 4% of the lepton candidate energy, and the track-based isolation requirement is tightened from 10% to 4%.

The missing transverse momentum vector, $E_{\text{T}}^{\text{miss}}$, is computed using fully

calibrated and reconstructed physics objects, as well as clusters of calorimeter-cell energy deposits that are not associated with any object [27]. Only calibrated jets with p_T greater than 20 GeV are used in the computation. The jet energy is also corrected for pile-up effects [28]. A track-based missing transverse momentum vector, \vec{p}_T^{miss} , is calculated as the negative vector sum of transverse momenta of reconstructed tracks associated with the primary vertex and within $|\Delta R| < 2.5$.

Monte Carlo (MC) simulated samples are produced for both the signal and background processes. Unless otherwise stated, the simulation [29] is performed using the ATLFast-II package [30], which combines a parameterized simulation of the ATLAS calorimeter with the Geant4-based [31] full simulation for the rest of the subdetector systems.

Signal events from $q\bar{q}' \rightarrow V H$ with $H \rightarrow \text{inv.}$ are produced using the NLO Powheg method as implemented in the Herwig++ generator [32]. The $gg \rightarrow ZH$ production process contributes approximately 5% to the total ZH cross section. Events from the $gg \rightarrow ZH$ production process are not simulated, but are taken into account by increasing the $q\bar{q}' \rightarrow ZH$ cross section as a function of the Higgs boson p_T by the appropriate amount. The gluon-fusion signal events are produced using the Powheg generator interfaced to Pythia8 for parton showering and hadronization. The production of $q\bar{q}' \rightarrow V H$ followed by the SM $H \rightarrow b\bar{b}$ decay is considered as a background for the search. The Pythia8 generator is used to produce these events. The cross sections of all Higgs production processes are taken from Ref. [33].

A significant source of background is the production of V +jets and of $t\bar{t}$ events. A sample of V +jets events is generated using the Sherpa generator [34] with massive b - and c -quarks. Events from the $t\bar{t}$ process are generated using the Powheg generator interfaced with Pythia6 [35]. Other background contributions include diboson (WW, WZ and ZZ) and single top-quark production. The Powheg generator interfaced to Pythia8 is used to produce diboson events. The diboson cross sections are calculated at NLO in QCD using the MCFM program [36] with the MSTW2008NLO parton distribution functions (PDFs) [37]. The s-channel and Wt single top-quark events are produced using the Powheg generator, as for $t\bar{t}$ production. The remaining t-channel process is simulated with the AcerMC generator [38] interfaced to Pythia6.

Cross sections of the three single top-quark processes are taken from Refs. [39–41]. Table 1 summarizes the MC generators, PDFs and normalization cross sections used in this analysis.

4 Event selection

Events are required to pass an E_T^{miss} trigger with a threshold of 80 GeV, which is a cut applied at the third level. The E_T^{miss} trigger is fully efficient for $E_T^{\text{miss}} > 160$ GeV and 97% efficient for $E_T^{\text{miss}} < 160$ GeV. An

efficiency correction is derived from $W \rightarrow \ell^+ \ell^- + \text{jets}$ and $Z \rightarrow \ell^+ \ell^- + \text{jets}$ events. This correction is below 1% for $120 \text{ GeV} < E_{T^{\text{miss}}} < 160 \text{ GeV}$.

Events are also required to have $E_{T^{\text{miss}}} > 120 \text{ GeV}$, no loose leptons and two or three “signal jets” (satisfying $|\eta| < 2.5$, $p_{T^{\text{miss}}} > 20 \text{ GeV}$ and leading jet $p_{T^{\text{miss}}} > 45 \text{ GeV}$). The inclusion of 3-jet events improves the signal efficiency. A requirement is made on $H_{T^{\text{miss}}}$, defined as the scalar sum of the $p_{T^{\text{miss}}}$ of all jets: $H_{T^{\text{miss}}} > 120$ (150) GeV for events with two (three) jets. This cut is employed to avoid a trigger bias introduced by the dependence of the trigger efficiency on the jet activity, as also discussed in Ref. [44]. Events are discarded if they have additional jets with $p_{T^{\text{miss}}} > 20$ (30) GeV and $|\eta| < 2.5$ ($2.5 < |\eta| < 4.5$) to reduce the contribution from the $t \bar{t}$ background process.

For $V H$ signal events, $E_{T^{\text{miss}}}$ resulting from the $H \rightarrow \text{inv.}$ decay is expected to be strongly correlated with the transverse momentum of the vector boson V ($p_{T^{\text{miss}}} \sim p_{T^{\text{miss}}}$). Since the $E_{T^{\text{miss}}}$ distribution of the signal is harder than that of the background, additional sensitivity in the analysis is gained by optimizing the selection cuts separately for four $E_{T^{\text{miss}}}$ ranges. Here and in the following, the dijet refers to the two leading jets in events with three jets. The dijet invariant mass, m_{jj} , is required to be consistent with that of the W/Z boson. In addition a requirement on the radial separation between the two jets, ΔR_{jj} , is made as the jets are expected to be close in for highly boosted V -bosons. Both the m_{jj} and the ΔR_{jj} cuts reduce the $V + \text{jets}$ and the $t \bar{t}$ backgrounds, and depend on $E_{T^{\text{miss}}}$. The cut values are given in Table 2.

Multijet events are copiously produced in hadron collisions. Fluctuations in jet energy measurements in the calorimeters can create $E_{T^{\text{miss}}}$ in these events and therefore mimic the signal. To suppress their contribution, additional selection criteria are applied to the azimuthal angles between $E_{T^{\text{miss}}}$, $p_{T^{\text{miss}}}$ and jets: $\Delta\phi(E_{T^{\text{miss}}}, p_{T^{\text{miss}}}) < \pi/2$, $\min[\Delta\phi(E_{T^{\text{miss}}}, \text{jet})] > 1.5$ and $\Delta\phi(E_{T^{\text{miss}}}, \text{dijet}) > 2.8$. Here $\min[\Delta\phi(E_{T^{\text{miss}}}, \text{jet})]$ is the azimuthal angle between $E_{T^{\text{miss}}}$ and its nearest jet, and $\Delta\phi(E_{T^{\text{miss}}}, \text{dijet})$ is the angle between $E_{T^{\text{miss}}}$ and the momentum vector of the dijet system. These requirements are based on characteristics of events with mismeasured $E_{T^{\text{miss}}}$ in the multijet background, while taking advantage of the expected topologies of signal events.

Finally, the selected events are further categorized according to b-tag multiplicity (zero, one and two b-tagged jets) to improve the sensitivity. Combined with the two categories in jet multiplicity (two and three jets), there are in total six categories in the signal region.

5 Background estimation

In addition to the signal region, a number of control regions, designed to estimate various background contributions, are defined. They include the signal sideband (events not passing the m_{jj} requirement), and the regions dominated by

V+jets and $t\bar{t}$ events as discussed below. The multijet background is estimated from the data. The distributions of the V+jets and $t\bar{t}$ backgrounds are taken from MC simulation while their normalizations are estimated from the data. The remaining diboson, single-top and SM VH(bb) backgrounds are obtained from MC simulation.

The multijet background is estimated using four regions defined by requirements on $\Delta\phi(E_{T^{\text{miss}}}, p_{T^{\text{miss}}})$ and $\min[\Delta\phi(E_{T^{\text{miss}}}, \text{jet})]$, as listed in Table 3. The shapes of the m_{jj} and $E_{T^{\text{miss}}}$ distributions in the signal region A are taken from region C and the normalizations are determined by the ratio of the numbers of events in regions B and D.

The normalizations of the V+jets backgrounds are estimated using control regions enhanced in W+jets and Z+jets events. In all cases at least one lepton is required to have $p_T > 25$ GeV. The W+jets events are selected by requiring exactly one tight lepton, $E_{T^{\text{miss}}} > 50$ GeV if $p_{T^W} > 20$ GeV ($E_{T^{\text{miss}}} > 100$ GeV if $p_{T^W} > 200$ GeV), exactly two signal jets and $m_{T^W} > 100$ GeV is required in order to approximately match the phase space of the signal region. The Z+jets events are selected by requiring two loose leptons of the same flavour with opposite charges with invariant mass $83 < m_{\ell\ell} < 99$ GeV, at least two signal jets and a dilepton transverse momentum greater than 100 GeV. The kinematic distributions of the V+jets backgrounds are obtained from simulation that takes into account the different flavour composition of the jets. The simulated events are reweighted depending on the $\Delta\phi(\text{jet1}, \text{jet2})$ and p_{T^V} to better match the data distributions [44]. The Z+jets control region has a small contribution from $t\bar{t}$ (1.3%), which is estimated using a $t\bar{t}$ control region. This region is selected by requiring events to have two oppositely charged leptons of different flavour (one of which has $p_T > 25$ GeV) and passing the loose selection requirements, and at least two signal jets which are b-tagged. The signal sideband and the V+jets control regions are divided to match the categorization of the signal region while the $t\bar{t}$ control region remains as one category as described above. For the V+jets and $t\bar{t}$ control regions, the distributions of the multijet background are obtained from control regions defined by inverting the lepton isolation requirement and the normalizations are determined by template fits [44].

6 Systematic uncertainties

The experimental systematic uncertainties considered include the trigger efficiency, object reconstruction and identification efficiency, and object energy and momentum scales as well as resolutions. Among these, the jet energy scale (JES) and resolution (JER) uncertainties have the largest impact on the result.

The JES uncertainties are $\pm 3\%$ and $\pm 1\%$ for central jets with a p_T of 20 GeV and 1 TeV, respectively. The JER uncertainty varies from between $\pm 10\%$ and $\pm 20\%$, depending on the pseudorapidities of the jets, for jets with $p_T = 20$ GeV to less than $\pm 5\%$ for jets with $p_T > 200$ GeV. The

JER and JES uncertainties are also propagated to the $E_{T^{\text{miss}}}$ uncertainty. The b-tagging uncertainty depends on jet p_T and comes mainly from the uncertainty on the measurement of the efficiency in $t\bar{t}$ events [23]. The dominant contribution arises from jets matched to b-hadrons in the MC record of the particles' true identities. Their efficiency uncertainties are at the level of $\pm 2\text{--}3\%$ over most of the jet p_T range, but reach $\pm 5\%$ for $p_T = 20$ GeV and $\pm 8\%$ above $p_T = 200$ GeV [45]. The uncertainty on the integrated luminosity is $\pm 2.8\%$. It is derived following the same methodology as that detailed in Ref. [46].

For the backgrounds, a large number of modelling systematic uncertainties are considered, which account for possible differences between the data and the MC models. These uncertainties are estimated following the studies of Ref. [44] and are briefly summarized here. The uncertainties on the V+jets backgrounds come mainly from the knowledge of jet flavour composition and the p_T^V , $\Delta\phi_{jj}$ and m_{jj} distributions. For $t\bar{t}$ production, uncertainties on the top quark transverse momentum and the m_{jj} , $E_{T^{\text{miss}}}$ distributions are considered. The diboson background uncertainties are dominated by the theoretical uncertainties of the cross-section predictions, which include contributions from the renormalization and factorization scales and the choice of PDFs. The robustness of the multijet background estimation is assessed by varying the definition of the control regions B and D and an uncertainty of $\pm 100\%$ is assigned for this small background ($< 1\%$ in the signal regions).

The uncertainty on the signal acceptance is evaluated by changing the factorization and renormalization scale parameters, parton distribution function choices and the parton shower choices. For the V H signal, the dominant uncertainty is from parton shower modelling, which can be as large as $\pm 8\%$. For the $gg \rightarrow H$ signal, the dominant uncertainty originates from the renormalization and factorization scales and can be as large as $\pm 15\%$ in the high $E_{T^{\text{miss}}}$ regions. Additional corrections to the Higgs boson p_T distribution of the $gg \rightarrow H$ signal are applied to match the distribution from a calculation at NNLO+NNLL provided by HRes2.1 [47, 48]. The detailed procedures are following the ones used in the $H \rightarrow \gamma\gamma$ and $H \rightarrow WW^*$ analyses as described in Ref. [49, 50]. The related uncertainties are also taken into account.

7 Results

The potential $H \rightarrow \text{inv.}$ signal is extracted through a combined likelihood fit to the observed $E_{T^{\text{miss}}}$ distributions of the signal region and its sideband and the p_T^V distributions of the control regions (p_T^V is defined for the W+jets, Z+jets and $t\bar{t}$ control regions, respectively). The normalizations of the V+jets and $t\bar{t}$ backgrounds are free parameters in this fit. The $E_{T^{\text{miss}}}$ distributions are binned in such a way that each bin yields approximately the same amount of expected signal. The 2-jet categories of the signal region are split into ten bins, while fewer bins are used in the 3-jet categories and the sideband.

Most V+jets control regions are split into five p_T^V bins, each yielding approximately the same amount of expected background. The 0-tag category of the V+jets control regions and the $t\bar{t}$ control region are used inclusively in the fit. The signal strength $\hat{\mu}$, defined as the ratio of the signal yield ($\sigma V H \times \text{BR}(H \rightarrow \text{inv.})$) relative to the SM production cross section and assuming $\text{BR}(H \rightarrow \text{inv.}) = 100\%$, is used to parameterize the signal in the data. A binned likelihood function is constructed as the product of Poisson probability terms comparing the numbers of events observed in the data to those expected from the assumed signals and estimated background contributions for all categories of the signal and control regions. The likelihood takes into account the background normalization and the systematic uncertainties. It is maximized to extract the most probable signal-strength value, $\hat{\mu}$.

Table 4 shows the numbers of observed events in the data compared to the numbers of estimated background events from the likelihood fit for each signal category. In all categories the data agrees with the background estimation. The backgrounds are dominated by Z+jets and W+jets events. Subleading backgrounds come from top and diboson production. The SM $V H$ and multijet background contributions are very small with the final event selection.

The fit reveals no significant excess of events over the background expectations and yields a best-fit signal-strength value of $\hat{\mu} = -0.13^{+0.43}_{-0.44}$, which is consistent with zero. The contributions from the individual systematic uncertainties are summarized in Table 5. The systematic uncertainty sources which have the largest impacts are the energy scale of the jets and of $E_T^{\{\text{miss}\}}$ along with the modelling (shape and normalization) of the diboson and V+jets backgrounds. The $E_T^{\{\text{miss}\}}$ distributions of the events passing the signal region selection are shown in Figs. 1 and 2 after the profile likelihood fit to the data. The fit results are also propagated to the $m_{\{jj\}}$ distributions of the events passing the signal region selection (without the $m_{\{jj\}}$ -window cuts). The corresponding plots are shown in Figs. 3, 4 and 5 for the three b-tag categories separately.

The null results are used to set 95% confidence level (CL) upper limits on the product of the $V H$ cross sections and the $V \rightarrow jj$ and $H \rightarrow \text{inv.}$ decay branching ratio, $\sigma V H \times \text{BR}(H \rightarrow \text{inv.})$, as a function of the Higgs boson mass in the range $115 < m_H < 300$ GeV as shown in Fig. 6. The limits are computed with a modified frequentist method, also known as CLs [51], and a profile-likelihood-based test statistic [52].

At $m_H = 125$ GeV, for $V H$ production, a limit of 1.1 pb is observed compared with 1.1 pb expected. These combined results for $V H$ production assume the SM proportions of the WH and ZH contributions. Observed (expected) limits are also derived for the two contributions separately, 1.2 (1.3) pb for WH and 0.72 (0.59) pb for ZH. As shown in Table 4, the 2-tag categories are almost only sensitive to ZH, the 1-tag categories are equally sensitive to WH and ZH, and the 0-tag categories are more sensitive to WH production. The two processes contribute approximately equally to the sensitivity.

For the discovered Higgs boson at $m_H = 125$ GeV, an observed (expected) upper limit of 78% (86%) at 95% CL on the branching ratio of the Higgs boson to invisible particles is set. These limits are derived assuming SM production and combining contributions from V H and gluon-fusion processes. The gluon-fusion production process contributes about 39% (29%) to the observed (expected) combined sensitivity.

8 Summary

In summary, Higgs boson decays to particles that are invisible to the ATLAS detector are searched for in the final states of two or three jets and large missing transverse momentum in a pp collision dataset corresponding to an integrated luminosity of 20.3 fb^{-1} at a centre-of-mass energy of 8 TeV. No excess of events over the expected backgrounds is observed. The results are used to constrain the cross section for V H production followed by the decay $H \rightarrow \text{inv.}$ for $115 < m_H < 300$ GeV. The observed 95% CL upper limit on $\sigma V H \times \text{BR}(H \rightarrow \text{inv.})$ varies from 1.6 pb at 115 GeV to 0.13 pb at 300 GeV. Assuming SM production and including the $gg \rightarrow H$ contribution, an observed (expected) upper limit of 78% (86%) on $\text{BR}(H \rightarrow \text{inv.})$ is derived for the discovered Higgs boson with $m_H = 125$ GeV. This independent result is comparable to that of the ATLAS ZH search with $Z \rightarrow \dots$ and $H \rightarrow \text{inv.}$ [19].

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT and NSRF, Greece; RGC, Hong Kong SAR, China; ISF, MINERVA, GIF, I-CORE and Benozio Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW and NCN, Poland; GRICES and FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

References

- [1] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, *Phys. Lett. B* 716 (2012) 1-29, arXiv:1207.7214 [hep-ex].
- [2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, *Phys. Lett. B* 716 (2012) 30-61, arXiv:1207.7235 [hep-ex].
- [3] ATLAS Collaboration, Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC, *Phys. Lett. B* 726 (2013) 88, arXiv:1307.1427 [hep-ex].
- [4] ATLAS Collaboration, Evidence for the spin-0 nature of the Higgs boson using ATLAS data, *Phys. Lett. B* 726 (2013) 120, arXiv:1307.1432 [hep-ex].
- [5] ATLAS Collaboration, Measurements of Higgs boson production and couplings in the four-lepton channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector, *Phys. Rev. D* 91 (2015) 012006, arXiv:1408.5191 [hep-ex].
- [6] ATLAS Collaboration, Determination of spin and parity of the Higgs boson in the $WW^* \rightarrow e^-e^+$ decay channel with the ATLAS detector (2015), arXiv:1503.03643 [hep-ex], submitted to *Eur. Phys. J. C*.
- [7] CMS Collaboration, Study of the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs, *Phys. Rev. Lett.* 110 (2013) 081803, arXiv:1212.6639 [hep-ex].
- [8] CMS Collaboration, Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV (2014), arXiv:1412.8662 [hep-ex], submitted to *Eur. Phys. J. C*.
- [9] CMS Collaboration, Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV (2014), arXiv:1411.3441 [hep-ex], submitted to *Phys. Rev. D*.
- [10] F. Englert and R. Brout, Broken Symmetry and the Mass of Gauge Vector Mesons, *Phys. Rev. Lett.* 13 (1964) 321.
- [11] P. W. Higgs, Broken Symmetries and the Masses of Gauge Bosons, *Phys. Rev. Lett.* 13 (1964) 508.

- [12] P. W. Higgs, Broken Symmetries, Massless Particles and Gauge Fields, *Phys. Rev. Lett.* 12 (1964) 132.
- [13] G. Guralnik, C. Hagen and T. Kibble, Global Conservation Laws and Massless Particles, *Phys. Rev. Lett.* 13 (1964) 585.
- [14] CMS Collaboration, Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes, *Eur. Phys. J. C* 74 (2014) 2980, arXiv:1404.1344 [hep-ex].
- [15] A. Djouadi et al., SUSY decays of Higgs particles, *Phys. Lett. B* 376 (1996) 220, arXiv:hep-ph/9603368.
- [16] S. P. Martin and J. D. Wells, Motivation and detectability of an invisibly decaying Higgs boson at the Fermilab Tevatron, *Phys. Rev. D* 60 (1999) 035006, arXiv:hep-ph/9903259.
- [17] C. Englert et al., Exploring the Higgs portal, *Phys. Lett. B* 703 (2011) 298, arXiv:1106.3097 [hep-ph].
- [18] A. Djouadi et al., Implications of LHC searches for Higgs-portal dark matter, *Phys. Lett. B* 709 (2012) 65, arXiv:1112.3299 [hep-ph].
- [19] ATLAS Collaboration, Search for Invisible Decays of a Higgs Boson Produced in Association with a Z Boson in ATLAS, *Phys. Rev. Lett.* 112 (2014) 201802, arXiv:1402.3244 [hep-ex].
- [20] ATLAS Collaboration, Search for dark matter in events with a hadronically decaying W or Z boson and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, *Phys. Rev. Lett.* 112 (2014) 041802, arXiv:1309.4017 [hep-ex].
- [21] ATLAS Collaboration, The ATLAS Experiment at the CERN Large Hadron Collider, *JINST* 3 (2008) S08003.
- [22] M. Cacciari, G. P. Salam and G. Soyez, The anti-kT jet clustering algorithm, *JHEP* 0804 (2008) 063, arXiv:0802.1189 [hep-ph].
- [23] ATLAS Collaboration, Calibration of b-tagging using dileptonic top pair events in a combinatorial likelihood approach with the ATLAS experiment, ATLAS-CONF-2014-004, url: <http://cds.cern.ch/record/1664335>.
- [24] ATLAS Collaboration, Electron efficiency measurements with the ATLAS detector using the 2012 LHC proton-proton collision data, ATLAS-CONF-2014-032, url: <https://cds.cern.ch/record/1706245>.
- [25] A. Collaboration, Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data, *Eur. Phys. J. C* 74 (2014) 2941, arXiv:1404.2240 [hep-ex].
- [26] ATLAS Collaboration, Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data, *Eur. Phys. J. C* 74 (2014) 3130, arXiv:1407.3935 [hep-ex].

- [27] ATLAS Collaboration, Performance of Missing Transverse Momentum Reconstruction in ATLAS studied in Proton-Proton Collisions recorded in 2012 at 8 TeV, ATLAS-CONF-2013-082, url: <http://cds.cern.ch/record/1570993>.
- [28] M. Cacciari, G. P. Salam and G. Soyez, The Catchment Area of Jets, JHEP 0804 (2008) 005, arXiv:0802.1188 [hep-ph].
- [29] ATLAS Collaboration, The ATLAS Simulation Infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [30] ATLAS Collaboration, The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim, ATL-PHYS-PUB-2010-013, url: <http://cds.cern.ch/record/1300517>.
- [31] S. Agostinelli et al., GEANT4: A Simulation toolkit, Nucl. Instrum. Meth. A 506 (2003) 250.
- [32] M. Bahr et al., Herwig++ Physics and Manual, Eur. Phys. J. C 58 (2008) 639, arXiv:0803.0883 [hep-ph].
- [33] S Heinemeyer et al., Handbook of LHC Higgs Cross Sections: 3. Higgs Properties (2013), ed. by S Heinemeyer, arXiv:1307.1347 [hep-ph].
- [34] T. Gleisberg et al., Event generation with SHERPA 1.1, JHEP 0902 (2009) 007, arXiv:0811.4622 [hep-ph].
- [35] T. Sjostrand, S. Mrenna and P. Z. Skands, PYTHIA 6.4 Physics and Manual, JHEP 0605 (2006) 026, arXiv:hep-ph/0603175.
- [36] J. M. Campbell and R. Ellis, MCFM for the Tevatron and the LHC, Nucl. Phys. Proc. Suppl. 205-206 (2010) 10, arXiv:1007.3492 [hep-ph].
- [37] A. Martin et al., Parton distributions for the LHC, Eur. Phys. J. C 63 (2009) 189, arXiv:0901.0002 [hep-ph].
- [38] B. P. Kersevan and E. Richter-Was, The Monte Carlo event generator AcerMC versions 2.0 to 3.8 with interfaces to PYTHIA 6.4, HERWIG 6.5 and ARIADNE 4.1, Comput. Phys. Commun. 184 (2013) 919, arXiv:hep-ph/0405247.
- [39] N. Kidonakis, Next-to-next-to-leading-order collinear and soft gluon corrections for t-channel single top quark production, Phys. Rev. D 83 (2011) 091503, arXiv:1103.2792 [hep-ph].
- [40] N. Kidonakis, NNLL resummation for s-channel single top quark production, Phys. Rev. D 81 (2010) 054028, arXiv:1001.5034 [hep-ph].
- [41] N. Kidonakis, Two-loop soft anomalous dimensions for single top quark associated production with a W- or H-, Phys. Rev. D 82 (2010) 054018, arXiv:1005.4451 [hep-ph].
- [42] H.-L. Lai et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].

- [43] J. Pumplin et al., New generation of parton distributions with uncertainties from global QCD analysis, JHEP 0207 (2002) 012, arXiv:hep-ph/0201195.
- [44] ATLAS Collaboration, Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector, JHEP 1501 (2015) 069, arXiv:1409.6212 [hep-ex].
- [45] ATLAS Collaboration, Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Eur. Phys. J. C (2015) 75:17, arXiv:1406.0076 [hep-ex].
- [46] ATLAS Collaboration, Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 73 (2013) 2518, arXiv:1302.4393 [hep-ex].
- [47] D. de Florian et al., Higgs boson production at the LHC: transverse momentum resummation effects in the $H \rightarrow \gamma\gamma$, $H \rightarrow WW \rightarrow l\bar{l}$ and $H \rightarrow ZZ \rightarrow 4l$ decay modes, JHEP 1206 (2012) 132, arXiv:1203.6321 [hep-ph].
- [48] M. Grazzini and H. Sargsyan, Heavy-quark mass effects in Higgs boson production at the LHC, JHEP 1309 (2013) 129, arXiv:1306.4581 [hep-ph].
- [49] ATLAS Collaboration, Observation and measurement of Higgs boson decays to WW^* with the ATLAS detector (2014), arXiv:1412.2641 [hep-ex], accepted by Phys. Rev. D.
- [50] ATLAS Collaboration, Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector, Phys. Rev. D 90 (2014) 112015, arXiv:1408.7084 [hep-ex].
- [51] A. L. Read, Presentation of search results: The CL(s) technique, J. Phys. G 28 (2002) 2693.
- [52] G. Cowan et al., Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an].

Tables and Figures

Table 1: List of MC generators, parton distribution functions (PDFs) and cross sections used for the signal and background processes. The $H \rightarrow \text{inv.}$ signal cross sections are given for $m_H = 125$ GeV and assume SM production and $\text{BR}(H \rightarrow \text{inv.}) = 100\%$. Details are given in the text.

Table 2: The $E_{T^{\text{miss}}}$ -dependent event selections of the signal region for the four $E_{T^{\text{miss}}}$ ranges.

Table 3: Definition of the signal region, A, and the three regions B, C and D used to estimate the multijet background in the signal region.

Table 4: Predicted and observed numbers of events for the six categories in the signal region. The yields and uncertainties of the backgrounds are shown after

the profile likelihood fit to the data. In this fit all categories share the same signal-strength parameter. The quoted uncertainties combine the statistical and systematic contributions. These can be smaller for the total background than for individual components due to anti-correlations. The yields and uncertainties of the signals are shown as expected before the fit for $m_H = 125$ GeV and $\text{BR}(H \rightarrow \text{inv.}) = 100\%$.

Table 5: Impacts of sources of systematic uncertainty on the uncertainty of the fitted signal strength, Δ , in the data. Only sources with contributions larger than ± 0.03 are listed.

Figure 1: The missing transverse momentum (E_T^{miss}) distributions of the 2-jet events in the signal region for the (a) 0-b-tag, (b) 1-b-tag and (c) 2-b-tag categories. The data are compared with the background model after the likelihood fit. The bottom plots show the ratio of the data to the total background. The signal expectation for $m_H = 125$ GeV and $\text{BR}(H \rightarrow \text{inv.}) = 100\%$ is shown on top of the background and additionally as an overlay line, scaled by the factor indicated in the legend. The total background before the fit is shown as a dashed line. The hatched bands represent the total uncertainty on the background.

Figure 2: The missing transverse momentum (E_T^{miss}) distributions of the 3-jet events in the signal region for the (a) 0-b-tag, (b) 1-b-tag and (c) 2-b-tag categories. The data are compared with the background model after the likelihood fit. The bottom plots show the ratio of the data to the total background. The signal expectation for $m_H = 125$ GeV is shown on top of the background and additionally as an overlay line, scaled by the factor indicated in the legend. The total background before the fit is shown as a dashed line. The hatched bands represent the total uncertainty on the background.

Figure 3: The dijet invariant mass (m_{jj}) distributions in the signal region for the 0-b-tag category, for events with E_T^{miss} in the range (a) [120–160 GeV], (b) [160–200 GeV], (c) [200–300 GeV] and (d) [> 300 GeV]. The data are compared with the background model after the likelihood fit. The bottom plots show the ratio of the data to the total background. The signal expectation for $m_H = 125$ GeV is shown on top of the background and additionally as an overlay line, scaled by the factor indicated in the legend. The total background before the fit is shown as a dashed line. The hatched bands represent the total uncertainty on the background.

Figure 4: The dijet invariant mass (m_{bj}) distributions in the signal region for the 1-b-tag category, for events with E_T^{miss} in the range (a) [120–160 GeV], (b) [160–200 GeV], (c) [200–300 GeV] and (d) [> 300 GeV]. The data are compared with the background model after the likelihood fit. The bottom plots show the ratio of the data to the total background. The signal expectation for $m_H = 125$ GeV is shown on top of the background and additionally as an overlay line, scaled by the factor indicated in the legend. The total background before the fit is shown as a dashed line. The hatched bands represent the total

uncertainty on the background.

Figure 5: The dijet invariant mass ($m_{\{bb\}}$) distributions in the signal region for the 2-b-tag category, for events with $E_T^{\{miss\}}$ in the range (a) [120-160 GeV], (b) [160-200 GeV], (c) [200-300 GeV] and (d) [> 300 GeV]. The data are compared with the background model after the likelihood fit. The bottom plots show the ratio of the data to the total background. The signal expectation for $m_H = 125$ GeV is shown on top of the background and additionally as an overlay line, scaled by the factor indicated in the legend. The total background before the fit is shown as a dashed line. The hatched bands represent the total uncertainty on the background.

Figure 6: Upper limits on $\sigma V H \times BR(H \rightarrow inv.)$ at 95% CL for a Higgs boson with $115 < m_H < 300$ GeV. The full and dashed lines show the observed and expected limits, respectively.

Author List

The ATLAS Collaboration

G. Aad⁸⁵, B. Abbott¹¹³, J. Abdallah¹⁵¹, O. Abdinov¹¹, R. Aben¹⁰⁷, M. Abolins⁹⁰, O.S. AbouZeid¹⁵⁸, H. Abramowicz¹⁵³, H. Abreu¹⁵², R. Abreu³⁰, Y. Abulaiti^{146a,146b,a}, L. Adamczyk^{38a}, D.L. Adams²⁵, J. Adelman¹⁰⁸, S. Adomeit¹⁰⁰, T. Adye¹³¹, A.A. Affolder⁷⁴, T. Agatonovic-Jovin¹³, J.A. Aguilar-Saavedra^{126a,126f}, S.P. Ahlen²², F. Ahmadov^{65,b}, G. Aielli^{133a,133b}, H. Akerstedt^{146a,146b}, T.P.A. Åkesson⁸¹, G. Akimoto¹⁵⁵, A.V. Akimov⁹⁶, G.L. Alberghi^{20a,20b}, J. Albert¹⁶⁹, S. Albrand⁵⁵, M.J. Alconada Verzini⁷¹, M. Aleksa³⁰, I.N. Aleksandrov⁶⁵, C. Alexa^{26a}, G. Alexander¹⁵³, T. Alexopoulos¹⁰, M. Alhroob¹¹³, G. Alimonti^{91a}, L. Alio⁸⁵, J. Alison³¹, S.P. Alkire³⁵, B.M.M. Allbrooke¹⁸, P.P. Allport⁷⁴, A. Aloisio^{104a,104b}, A. Alonso³⁶, F. Alonso⁷¹, C. Alpigiani⁷⁶, A. Altheimer³⁵, B. Alvarez Gonzalez³⁰, D. Álvarez Piqueras¹⁶⁷, M.G. Alviggi^{104a,104b}, B.T. Amadio¹⁵, K. Amako⁶⁶, Y. Amaral Coutinho^{24a}, C. Amelung²³, D. Amidei⁸⁹, S.P. Amor Dos Santos^{126a,126c}, A. Amorim^{126a,126b}, S. Amoroso⁴⁸, N. Amram¹⁵³, G. Amundsen²³, C. Anastopoulos¹³⁹, L.S. Ancu⁴⁹, N. Andari³⁰, T. Andeen³⁵, C.F. Anders^{58b}, G. Anders³⁰, J.K. Anders⁷⁴, K.J. Anderson³¹, A. Andreazza^{91a,91b}, V. Andrei^{58a}, S. Angelidakis⁹, I. Angelozzi¹⁰⁷, P. Anger⁴⁴, A. Angerami³⁵, F. Anghinolfi³⁰, A.V. Anisenkov^{109,c}, N. Anjos¹², A. Annovi^{124a,124b}, M. Antonelli⁴⁷, A. Antonov⁹⁸, J. Antos^{144b}, F. Anulli^{132a}, M. Aoki⁶⁶, L. Aperio Bella¹⁸, G. Arabidze⁹⁰, Y. Arai⁶⁶, J.P. Araque^{126a}, A.T.H. Arce⁴⁵, F.A. Arduh⁷¹, J-F. Arguin⁹⁵, S. Argyropoulos⁴², M. Arik^{19a}, A.J. Armbruster³⁰, O. Arnaez³⁰, V. Arnal⁸², H. Arnold⁴⁸, M. Arratia²⁸, O. Arslan²¹, A. Artamonov⁹⁷, G. Artoni²³, S. Asai¹⁵⁵, N. Asbah⁴², A. Ashkenazi¹⁵³, B. Åsman^{146a,146b}, L. Asquith¹⁴⁹, K. Assamagan²⁵, R. Astalos^{144a}, M. Atkinson¹⁶⁵, N.B. Atlay¹⁴¹, B. Auerbach⁶, K. Augsten¹²⁸, M. Aourousseau^{145b}, G. Avolio³⁰, B. Axen¹⁵, M.K. Ayoub¹¹⁷, G. Azuelos^{95,d}, M.A. Baak³⁰, A.E. Baas^{58a}, C. Bacci^{134a,134b}, H. Bachacou¹³⁶, K. Bachas¹⁵⁴, M. Backes³⁰, M.

Backhaus30, E. Badescu26a, P. Bagiacchi132a,132b, P. Bagnaia132a,132b, Y. Bai33a, T. Bain35, J.T. Baines131, O.K. Baker176, P. Balek129, T. Balestri148, F. Balli84, E. Banas39, Sw. Banerjee173, A.A.E. Bannoura175, H.S. Bansil18, L. Barak30, S.P. Baranov96, E.L. Barberio88, D. Barberis50a,50b, M. Barbero85, T. Barillari101, M. Barisonzi164a,164b, T. Barklow143, N. Barlow28, S.L. Barnes84, B.M. Barnett131, R.M. Barnett15, Z. Barnovska5, A. Baroncelli134a, G. Barone49, A.J. Barr120, F. Barreiro82, J. Barreiro Guimarães da Costa57, R. Bartoldus143, A.E. Barton72, P. Bartos144a, A. Bassalat117, A. Basye165, R.L. Bates53, S.J. Batista158, J.R. Batley28, M. Battaglia137, M. Bauce132a,132b, F. Bauer136, H.S. Bawa143,e, J.B. Beacham111, M.D. Beattie72, T. Beau80, P.H. Beauchemin161, R. Beccherle124a,124b, P. Bechtel21, H.P. Beck17,f, K. Becker120, M. Becker83, S. Becker100, M. Beckingham170, C. Becot117, A.J. Beddall19c, A. Beddall19c, V.A. Bednyakov65, C.P. Bee148, L.J. Beemster107, T.A. Beermann175, M. Begel25, J.K. Behr120, C. Belanger-Champagne87, P.J. Bell49, W.H. Bell49, G. Bella153, L. Bellagamba20a, A. Bellerive29, M. Bellomo86, K. Belotskiy98, O. Beltramello30, O. Benary153, D. Bencheikroun135a, M. Bender100, K. Bendtz146a,146b, N. Benekos10, Y. Benhammou153, E. Benhar Noccioli49, J.A. Benitez Garcia159b, D.P. Benjamin45, J.R. Bensinger23, S. Bentvelsen107, L. Beresford120, M. Beretta47, D. Berge107, E. Bergeaas Kuutmann166, N. Berger5, F. Berghaus169, J. Beringer15, C. Bernard22, N.R. Bernard86, C. Bernius110, F.U. Bernlochner21, T. Berry77, P. Berta129, C. Bertella83, G. Bertoli146a,146b, F. Bertolucci124a,124b, C. Bertsche113, D. Bertsche113, M.I. Besana91a, G.J. Besjes106, O. Bessidskaia Bylund146a,146b, M. Bessner42, N. Besson136, C. Betancourt48, S. Bethke101, A.J. Bevan76, W. Bhimji46, R.M. Bianchi125, L. Bianchini23, M. Bianco30, O. Biebel100, S.P. Bieniek78, M. Biglietti134a, J. Bilbao De Mendizabal49, H. Bilokon47, M. Bindi54, S. Binet117, A. Bingul19c, C. Bini132a,132b, C.W. Black150, J.E. Black143, K.M. Black22, D. Blackburn138, R.E. Blair6, J.-B. Blanchard136, J.E. Blanco77, T. Blazek144a, I. Bloch42, C. Blocker23, W. Blum83,*, U. Blumenschein54, G.J. Bobbink107, V.S. Bobrovnikov109,c, S.S. Bocchetta81, A. Bocchi45, C. Bock100, M. Boehler48, J.A. Bogaerts30, A.G. Bogdanchikov109, C. Bohm146a, V. Boisvert77, T. Bold38a, V. Boldea26a, A.S. Boldyrev99, M. Bomben80, M. Bona76, M. Boonekamp136, A. Borisov130, G. Borrisov72, S. Borroni42, J. Bortfeldt100, V. Bortolotto60a,60b,60c, K. Bos107, D. Boscherini20a, M. Bosman12, J. Boudreau125, J. Bouffard2, E.V. Bouhova-Thacker72, D. Boumediene34, C. Bourdarios117, N. Bousson114, A. Boveia30, J. Boyd30, I.R. Boyko65, I. Bozic13, J. Bracinik18, A. Brandt8, G. Brandt54, O. Brandt58a, U. Bratzler156, B. Brau86, J.E. Brau116, H.M. Braun175,*, S.F. Brazzale164a,164c, K. Brendlinger122, A.J. Brennan88, L. Brenner107, R. Brenner166, S. Bressler172, K. Bristow145c, T.M. Bristow46, D. Britton53, D. Britzger42, F.M. Brochu28, I. Brock21, R. Brock90, J. Bronner101, G. Brooijmans35, T. Brooks77, W.K. Brooks32b, J. Brosamer15, E. Brost116, J. Brown55, P.A. Bruckman de Renstrom39, D. Bruncko144b, R. Bruneliere48, A. Bruni20a, G. Bruni20a, M. Bruschi20a, L. Bryngemark81, T. Buanes14, Q. Buat142, P. Buchholz141, A.G. Buckley53, S.I. Buda26a, I.A. Budagov65, F. Buehrer48, L. Bugge119, M.K. Bugge119, O. Bulekov98, D. Bullock8, H.

Burckhart30, S. Burdin74, B. Burghgrave108, S. Burke131, I. Burmeister43, E. Busato34, D. Büscher48, V. Büscher83, P. Bussey53, C.P. Buszello166, J.M. Butler22, A.I. Butt3, C.M. Buttar53, J.M. Butterworth78, P. Butti107, W. Buttinger25, A. Buzatu53, R. Buzykaev109,c, S. Cabrera Urbán167, D. Caforio128, V.M. Cairo37a,37b, O. Cakir4a, P. Calafiura15, A. Calandri136, G. Calderini80, P. Calfayan100, L.P. Caloba24a, D. Calvet34, S. Calvet34, R. Camacho Toro49, S. Camarda42, P. Camarri133a,133b, D. Cameron119, L.M. Caminada15, R. Caminal Armadans12, S. Campana30, M. Campanelli78, A. Campoverde148, V. Canale104a,104b, A. Canepa159a, M. Cano Bret76, J. Cantero82, R. Cantrill126a, T. Cao40, M.D.M. Capeans Garrido30, I. Caprini26a, M. Caprini26a, M. Capua37a,37b, R. Caputo83, R. Cardarelli133a, T. Carli30, G. Carlino104a, L. Carminati91a,91b, S. Caron106, E. Carquin32a, G.D. Carrillo-Montoya8, J.R. Carter28, J. Carvalho126a,126c, D. Casadei78, M.P. Casado12, M. Casolino12, E. Castaneda-Miranda145b, A. Castelli107, V. Castillo Gimenez167, N.F. Castro126a,g, P. Catastini57, A. Catinaccio30, J.R. Catmore119, A. Cattai30, J. Caudron83, V. Cavaliere165, D. Cavalli91a, M. Cavalli-Sforza12, V. Cavasinni124a,124b, F. Ceradini134a,134b, B.C. Cerio45, K. Cerny129, A.S. Cerqueira24b, A. Cerril149, L. Cerrito76, F. Cerutti15, M. Cerv30, A. Cervelli17, S.A. Cetin19b, A. Chafaq135a, D. Chakraborty108, I. Chalupkova129, P. Chang165, B. Chapleau87, J.D. Chapman28, D.G. Charlton18, C.C. Chau158, C.A. Chavez Barajas149, S. Cheatham152, A. Chegwidden90, S. Chekanov6, S.V. Chekulaev159a, G.A. Chelkov65,h, M.A. Chelstowska89, C. Chen64, H. Chen25, K. Chen148, L. Chen33d,i, S. Chen33c, X. Chen33f, Y. Chen67, H.C. Cheng89, Y. Cheng31, A. Cheplakov65, E. Cheremushkina130, R. Cherkaoui El Moursli135e, V. Chernyatin25,*, E. Cheu7, L. Chevalier136, V. Chiarella47, J.T. Childers6, G. Chiodini73a, A.S. Chisholm18, R.T. Chislett78, A. Chitan26a, M.V. Chizhov65, K. Choi61, S. Chouridou9, B.K.B. Chow100, V. Christodoulou78, D. Chromek-Burckhart30, M.L. Chu151, J. Chudoba127, A.J. Chuinard87, J.J. Chwastowski39, L. Chytka115, G. Ciapetti132a,132b, A.K. Ciftci4a, D. Cinca53, V. Cindro75, I.A. Cioara21, A. Ciocio15, Z.H. Citron172, M. Ciubancan26a, A. Clark49, B.L. Clark57, P.J. Clark46, R.N. Clarke15, W. Cleland125, C. Clement146a,146b, Y. Coadou85, M. Cobal164a,164c, A. Coccaro138, J. Cochran64, L. Coffey23, J.G. Cogan143, B. Cole35, S. Cole108, A.P. Colijn107, J. Collot55, T. Colombo58c, G. Compostella101, P. Conde Muiño126a,126b, E. Coniavitis48, S.H. Connell145b, I.A. Connelly77, S.M. Consonni91a,91b, V. Consorti48, S. Constantinescu26a, C. Conta121a,121b, G. Conti30, F. Conventi104a,j, M. Cooke15, B.D. Cooper78, A.M. Cooper-Sarkar120, T. Cornelissen175, M. Corradi20a, F. Corriveau87,k, A. Corso-Radu163, A. Cortes-Gonzalez12, G. Cortiana101, G. Costa91a, M.J. Costa167, D. Costanzo139, D. Côté8, G. Cottin28, G. Cowan77, B.E. Cox84, K. Cranmer110, G. Cree29, S. Crépe-Renaudin55, F. Crescioli80, W.A. Cribbs146a,146b, M. Crispin Ortuzar120, M. Cristinziani21, V. Croft106, G. Crosetti37a,37b, T. Cuhadar Donszelmann139, J. Cummings176, M. Curatolo47, C. Cuthbert150, H. Czirr141, P. Czodrowski3, S. D' Auria53, M. D' Onofrio74, M.J. Da Cunha Sargedas De Sousa126a,126b, C. Da Via84, W. Dabrowski38a, A. Dafinca120, T. Dai89, O. Dale14, F. Dallaire95,

C. Dallapiccola⁸⁶, M. Dam³⁶, J.R. Dandoy³¹, N.P. Dang⁴⁸, A.C. Daniells¹⁸, M. Danninger¹⁶⁸, M. Dano Hoffmann¹³⁶, V. Dao⁴⁸, G. Darbo^{50a}, S. Darmora⁸, J. Dassoulas³, A. Dattagupta⁶¹, W. Davey²¹, C. David¹⁶⁹, T. Davidek¹²⁹, E. Davies^{120,l}, M. Davies¹⁵³, P. Davison⁷⁸, Y. Davygora^{58a}, E. Dawe⁸⁸, I. Dawson¹³⁹, R.K. Daya-Ishmukhametova⁸⁶, K. De⁸, R. de Asmundis^{104a}, S. De Castro^{20a,20b}, S. De Cecco⁸⁰, N. De Groot¹⁰⁶, P. de Jong¹⁰⁷, H. De la Torre⁸², F. De Lorenzi⁶⁴, L. De Nooij¹⁰⁷, D. De Pedis^{132a}, A. De Salvo^{132a}, U. De Sanctis¹⁴⁹, A. De Santo¹⁴⁹, J.B. De Vivie De Regie¹¹⁷, W.J. Dearnaley⁷², R. Debbe²⁵, C. Debenedetti¹³⁷, D.V. Dedovich⁶⁵, I. Deigaard¹⁰⁷, J. Del Peso⁸², T. Del Prete^{124a,124b}, D. Delgove¹¹⁷, F. Deliot¹³⁶, C.M. Delitzsch⁴⁹, M. Deliyergiyev⁷⁵, A. Dell' Acqua³⁰, L. Dell' Asta²², M. Dell' Orso^{124a,124b}, M. Della Pietra^{104a,j}, D. della Volpe⁴⁹, M. Delmastro⁵, P.A. Delsart⁵⁵, C. Deluca¹⁰⁷, D.A. DeMarco¹⁵⁸, S. Demers¹⁷⁶, M. Demichev⁶⁵, A. Demilly⁸⁰, S.P. Denisov¹³⁰, D. Derendarz³⁹, J.E. Derkaoui^{135d}, F. Derue⁸⁰, P. Dervan⁷⁴, K. Desch²¹, C. Deterre⁴², P.O. Deviveiros³⁰, A. Dewhurst¹³¹, S. Dhaliwal¹⁰⁷, A. Di Ciaccio^{133a,133b}, L. Di Ciaccio⁵, A. Di Domenico^{132a,132b}, C. Di Donato^{104a,104b}, A. Di Girolamo³⁰, B. Di Girolamo³⁰, A. Di Mattia¹⁵², B. Di Micco^{134a,134b}, R. Di Nardo⁴⁷, A. Di Simone⁴⁸, R. Di Sipio¹⁵⁸, D. Di Valentino²⁹, C. Diaconu⁸⁵, M. Diamond¹⁵⁸, F.A. Dias⁴⁶, M.A. Diaz^{32a}, E.B. Diehl⁸⁹, J. Dietrich¹⁶, S. Diglio⁸⁵, A. Dimitrievska¹³, J. Dingfelder²¹, F. Dittus³⁰, F. Djama⁸⁵, T. Djobava^{51b}, J.I. Djuvsland^{58a}, M.A.B. do Vale^{24c}, D. Dobos³⁰, M. Dobre^{26a}, C. Doglioni⁴⁹, T. Dohmae¹⁵⁵, J. Dolejsi¹²⁹, Z. Dolezal¹²⁹, B.A. Dolgoshein^{98,*}, M. Donadelli^{24d}, S. Donati^{124a,124b}, P. Dondero^{121a,121b}, J. Donini³⁴, J. Dopke¹³¹, A. Doria^{104a}, M.T. Dova⁷¹, A.T. Doyle⁵³, E. Drechsler⁵⁴, M. Dris¹⁰, E. Dubreuil³⁴, E. Duchovni¹⁷², G. Duckeck¹⁰⁰, O.A. Ducu^{26a,85}, D. Duda¹⁷⁵, A. Dudarev³⁰, L. Dufflot¹¹⁷, L. Duguid⁷⁷, M. Dührssen³⁰, M. Dunford^{58a}, H. Duran Yildiz^{4a}, M. Düren⁵², A. Durglishvili^{51b}, D. Duschinger⁴⁴, M. Dyndal^{38a}, C. Eckardt⁴², K.M. Ecker¹⁰¹, R.C. Edgar⁸⁹, W. Edson², N.C. Edwards⁴⁶, W. Ehrenfeld²¹, T. Eifert³⁰, G. Eigen¹⁴, K. Einsweiler¹⁵, T. Ekelof¹⁶⁶, M. El Kacimi^{135c}, M. Ellert¹⁶⁶, S. Elles⁵, F. Ellinghaus⁸³, A.A. Elliot¹⁶⁹, N. Ellis³⁰, J. Elmsheuser¹⁰⁰, M. Elsing³⁰, D. Emel'yanov¹³¹, Y. Enari¹⁵⁵, O.C. Endner⁸³, M. Endo¹¹⁸, R. Engelmann¹⁴⁸, J. Erdmann⁴³, A. Ereditato¹⁷, G. Ernis¹⁷⁵, J. Ernst², M. Ernst²⁵, S. Errede¹⁶⁵, E. Ertel⁸³, M. Escalier¹¹⁷, H. Esch⁴³, C. Escobar¹²⁵, B. Esposito⁴⁷, A.I. Etienvre¹³⁶, E. Etzion¹⁵³, H. Evans⁶¹, A. Ezhilov¹²³, L. Fabbri^{20a,20b}, G. Facini³¹, R.M. Fakhruddinov¹³⁰, S. Falciano^{132a}, R.J. Falla⁷⁸, J. Faltova¹²⁹, Y. Fang^{33a}, M. Fanti^{91a,91b}, A. Farbin⁸, A. Farilla^{134a}, T. Farooque¹², S. Farrell¹⁵, S.M. Farrington¹⁷⁰, P. Farthouat³⁰, F. Fassi^{135e}, P. Fassnacht³⁰, D. Fassouliotis⁹, M. Fauci Giannelli⁷⁷, A. Favareto^{50a,50b}, L. Fayard¹¹⁷, P. Federic^{144a}, O.L. Fedin^{123,m}, W. Fedorko¹⁶⁸, S. Feigl³⁰, L. Feligioni⁸⁵, C. Feng^{33d}, E.J. Feng⁶, H. Feng⁸⁹, A.B. Fenyuk¹³⁰, P. Fernandez Martinez¹⁶⁷, S. Fernandez Perez³⁰, S. Ferrag⁵³, J. Ferrando⁵³, A. Ferraril¹⁶⁶, P. Ferraril¹⁰⁷, R. Ferraril^{121a}, D.E. Ferreira de Lima⁵³, A. Ferrer¹⁶⁷, D. Ferrere⁴⁹, C. Ferretti⁸⁹, A. Ferretto Parodi^{50a,50b}, M. Fiascaris³¹, F. Fiedler⁸³, A. Filipčić⁷⁵, M. Filipuzzi⁴², F. Filthaut¹⁰⁶, M. Fincke-Keeler¹⁶⁹, K.D. Finelli¹⁵⁰, M.C.N. Fiolhais^{126a,126c}, L. Fiorini¹⁶⁷, A. Firan⁴⁰, A.

Fischer2, C. Fischer12, J. Fischer175, W.C. Fisher90, E.A. Fitzgerald23, M. Flechl48, I. Fleck141, P. Fleischmann89, S. Fleischmann175, G.T. Fletcher139, G. Fletcher76, T. Flick175, A. Floderus81, L.R. Flores Castillo60a, M.J. Flowerdew101, A. Formica136, A. Forti84, D. Fournier117, H. Fox72, S. Fracchia12, P. Francavilla80, M. Franchini20a,20b, D. Francis30, L. Franconi119, M. Franklin57, M. Fraternali121a,121b, D. Freeborn78, S.T. French28, F. Friedrich44, D. Froidevaux30, J.A. Frost120, C. Fukunaga156, E. Fullana Torregrosa83, B.G. Fulson143, J. Fuster167, C. Gabaldon55, O. Gabizon175, A. Gabrielli20a,20b, A. Gabrielli132a,132b, S. Gadatsch107, S. Gadamski49, G. Gagliardi50a,50b, P. Gagnon61, C. Galea106, B. Galhardo126a,126c, E.J. Gallas120, B.J. Gallop131, P. Gallus128, G. Galster36, K.K. Gan111, J. Gao33b,85, Y. Gao46, Y.S. Gao143,e, F.M. Garay Walls46, F. Garberson176, C. García167, J.E. García Navarro167, M. Garcia-Sciveres15, R.W. Gardner31, N. Garelli143, V. Garonne119, C. Gatti47, A. Gaudiello50a,50b, G. Gaudio121a, B. Gaur141, L. Gauthier95, P. Gauzzi132a,132b, I.L. Gavrilenko96, C. Gay168, G. Gaycken21, E.N. Gazis10, P. Ge33d, Z. Gecse168, C.N.P. Gee131, D.A.A. Geerts107, Ch. Geich-Gimbel21, M.P. Geisler58a, C. Gemme50a, M.H. Genest55, S. Gentile132a,132b, M. George54, S. George77, D. Gerbaudo163, A. Gershon153, H. Ghazlane135b, B. Giacobbe20a, S. Giagu132a,132b, V. Giangiobbe12, P. Giannetti124a,124b, B. Gibbard25, S.M. Gibson77, M. Gilchriese15, T.P.S. Gillam28, D. Gillberg30, G. Gilles34, D.M. Gingrich3,d, N. Giokaris9, M.P. Giordani164a,164c, F.M. Giorgi20a, F.M. Giorgi16, P.F. Giraud136, P. Giromini47, D. Giugni91a, C. Giuliani48, M. Giulini58b, B.K. Gjelsten119, S. Gkaitatzis154, I. Gkialas154, E.L. Gkoukousis117, L.K. Gladilin99, C. Glasman82, J. Glatzer30, P.C.F. Glaysher46, A. Glazov42, M. Goblirsch-Kolb101, J.R. Goddard76, J. Godlewski39, S. Goldfarb89, T. Golling49, D. Golubkov130, A. Gomes126a,126b,126d, R. Gonçalves126a, J. Goncalves Pinto Firmino Da Costa136, L. Gonella21, S. González de la Hoz167, G. Gonzalez Parra12, S. Gonzalez-Sevilla49, L. Goossens30, P.A. Gorbounov97, H.A. Gordon25, I. Gorelov105, B. Gorini30, E. Gorini73a,73b, A. Gorišek75, E. Gornicki39, A.T. Goshaw45, C. Gössling43, M.I. Gostkin65, D. Goujdami135c, A.G. Goussiou138, N. Govender145b, H.M.X. Grabas137, L. Graber54, I. Grabowska-Bold38a, P. Grafström20a,20b, K-J. Grahn42, J. Gramling49, E. Gramstad119, S. Grancagnolo16, V. Grassi148, V. Gratchev123, H.M. Gray30, E. Graziani134a, Z.D. Greenwood79,n, K. Gregersen78, I.M. Gregor42, P. Grenier143, J. Griffiths8, A.A. Grillo137, K. Grimm72, S. Grinstein12,o, Ph. Gris34, J.-F. Grivaz117, J.P. Grohs44, A. Grohsjean42, E. Gross172, J. Grosse-Knetter54, G.C. Grossi79, Z.J. Grout149, L. Guan33b, J. Guenther128, F. Guescini49, D. Guest176, O. Gueta153, E. Guido50a,50b, T. Guillemin117, S. Guindon2, U. Gul53, C. Gumpert44, J. Guo33e, S. Gupta120, P. Gutierrez113, N.G. Gutierrez Ortiz53, C. Gutschow44, C. Guyot136, C. Gwenlan120, C.B. Gwilliam74, A. Haas110, C. Haber15, H.K. Hadavand8, N. Haddad135e, P. Haefner21, S. Hageböck21, Z. Hajduk39, H. Hakobyan177, M. Haleem42, J. Haley114, D. Hall120, G. Halladjian90, G.D. Hallewell85, K. Hamacher175, P. Hamal115, K. Hamano169, M. Hamer54, A. Hamilton145a, S. Hamilton161, G.N. Hamity145c, P.G. Hamnett42, L. Han33b, K. Hanagaki118, K. Hanawa155,

M. Hance¹⁵, P. Hanke^{58a}, R. Hanna¹³⁶, J.B. Hansen³⁶, J.D. Hansen³⁶, M.C. Hansen²¹, P.H. Hansen³⁶, K. Hara¹⁶⁰, A.S. Hard¹⁷³, T. Harenberg¹⁷⁵, F. Hariri¹¹⁷, S. Harkusha⁹², R.D. Harrington⁴⁶, P.F. Harrison¹⁷⁰, F. Hartjes¹⁰⁷, M. Hasegawa⁶⁷, S. Hasegawa¹⁰³, Y. Hasegawa¹⁴⁰, A. Hasib¹¹³, S. Hassani¹³⁶, S. Haug¹⁷, R. Hauser⁹⁰, L. Hauswald⁴⁴, M. Havranek¹²⁷, C.M. Hawkes¹⁸, R.J. Hawkings³⁰, A.D. Hawkins⁸¹, T. Hayashi¹⁶⁰, D. Hayden⁹⁰, C.P. Hays¹²⁰, J.M. Hays⁷⁶, H.S. Hayward⁷⁴, S.J. Haywood¹³¹, S.J. Head¹⁸, T. Heck⁸³, V. Hedberg⁸¹, L. Heelan⁸, S. Heim¹²², T. Heim¹⁷⁵, B. Heinemann¹⁵, L. Heinrich¹¹⁰, J. Hejbal¹²⁷, L. Helary²², S. Hellman^{146a,146b}, D. Hellmich²¹, C. Helsens³⁰, J. Henderson¹²⁰, R.C.W. Henderson⁷², Y. Heng¹⁷³, C. Hengler⁴², A. Henrichs¹⁷⁶, A.M. Henriques Correia³⁰, S. Henrot-Versille¹¹⁷, G.H. Herbert¹⁶, Y. Hernández Jiménez¹⁶⁷, R. Herrberg-Schubert¹⁶, G. Herten⁴⁸, R. Hertenberger¹⁰⁰, L. Hervas³⁰, G.G. Hesketh⁷⁸, N.P. Hessey¹⁰⁷, J.W. Hetherly⁴⁰, R. Hickling⁷⁶, E. Higón-Rodríguez¹⁶⁷, E. Hill¹⁶⁹, J.C. Hill²⁸, K.H. Hiller⁴², S.J. Hillier¹⁸, I. Hinchliffe¹⁵, E. Hines¹²², R.R. Hinman¹⁵, M. Hirose¹⁵⁷, D. Hirschbuehl¹⁷⁵, J. Hobbs¹⁴⁸, N. Hod¹⁰⁷, M.C. Hodgkinson¹³⁹, P. Hodgson¹³⁹, A. Hoecker³⁰, M.R. Hoeferkamp¹⁰⁵, F. Hoenig¹⁰⁰, M. Höhlfeld⁸³, D. Hohn²¹, T.R. Holmes¹⁵, T.M. Hong¹²², L. Hooft van Huysduynen¹¹⁰, W.H. Hopkins¹¹⁶, Y. Horii¹⁰³, A.J. Horton¹⁴², J.-Y. Hostachy⁵⁵, S. Hou¹⁵¹, A. Hoummada^{135a}, J. Howard¹²⁰, J. Howarth⁴², M. Hrabovský¹¹⁵, I. Hristova¹⁶, J. Hrivnac¹¹⁷, T. Hryn'ova⁵, A. Hrynevich⁹³, C. Hsu^{145c}, P.J. Hsu^{151,p}, S.-C. Hsu¹³⁸, D. Hu³⁵, Q. Hu^{33b}, X. Hu⁸⁹, Y. Huang⁴², Z. Hubacek³⁰, F. Hubaut⁸⁵, F. Huegging²¹, T.B. Huffman¹²⁰, E.W. Hughes³⁵, G. Hughes⁷², M. Huhtinen³⁰, T.A. Hülsing⁸³, N. Huseynov^{65,b}, J. Huston⁹⁰, J. Huth⁵⁷, G. Iacobucci⁴⁹, G. Iakovidis²⁵, I. Ibragimov¹⁴¹, L. Iconomidou-Fayard¹¹⁷, E. Ideal¹⁷⁶, Z. Idrissi^{135e}, P. Iengo³⁰, O. Igonkina¹⁰⁷, T. Iizawa¹⁷¹, Y. Ikegami⁶⁶, K. Ikematsu¹⁴¹, M. Ikeno⁶⁶, Y. Ilchenko^{31,q}, D. Iliadis¹⁵⁴, N. Ilic¹⁵⁸, Y. Inamaru⁶⁷, T. Ince¹⁰¹, P. Ioannou⁹, M. Iodice^{134a}, K. Iordanidou³⁵, V. Ippolito⁵⁷, A. Irls Quiles¹⁶⁷, C. Isaksson¹⁶⁶, M. Ishino⁶⁸, M. Ishitsuka¹⁵⁷, R. Ishmukhametov¹¹¹, C. Issever¹²⁰, S. Istin^{19a}, J.M. Iturbe Ponce⁸⁴, R. Iuppa^{133a,133b}, J. Ivarsson⁸¹, W. Iwanski³⁹, H. Iwasaki⁶⁶, J.M. Izen⁴¹, V. Izzo^{104a}, S. Jabbar³, B. Jackson¹²², M. Jackson⁷⁴, P. Jackson¹, M.R. Jaekel³⁰, V. Jain², K. Jakobs⁴⁸, S. Jakobsen³⁰, T. Jakoubek¹²⁷, J. Jakubek¹²⁸, D.O. Jamin¹⁵¹, D.K. Jana⁷⁹, E. Jansen⁷⁸, R.W. Jansky⁶², J. Janssen²¹, M. Janus¹⁷⁰, G. Jarlskog⁸¹, N. Javadov^{65,b}, T. Javůrek⁴⁸, L. Jeanty¹⁵, J. Jejelava^{51a,r}, G.-Y. Jeng¹⁵⁰, D. Jennens⁸⁸, P. Jenni^{48,s}, J. Jentzsch⁴³, C. Jeske¹⁷⁰, S. Jézéquel⁵, H. Ji¹⁷³, J. Jia¹⁴⁸, Y. Jiang^{33b}, S. Jiggins⁷⁸, J. Jimenez Pena¹⁶⁷, S. Jin^{33a}, A. Jinaru^{26a}, O. Jinnouchi¹⁵⁷, M.D. Joergensen³⁶, P. Johansson¹³⁹, K.A. Johns⁷, K. Jon-And^{146a,146b}, G. Jones¹⁷⁰, R.W.L. Jones⁷², T.J. Jones⁷⁴, J. Jongmanns^{58a}, P.M. Jorge^{126a,126b}, K.D. Joshi⁸⁴, J. Jovicevic^{159a}, X. Ju¹⁷³, C.A. Jung⁴³, P. Jussel⁶², A. Juste Rozas^{12,o}, M. Kaci¹⁶⁷, A. Kaczmarska³⁹, M. Kado¹¹⁷, H. Kagan¹¹¹, M. Kagan¹⁴³, S.J. Kahn⁸⁵, E. Kajomovitz⁴⁵, C.W. Kalderon¹²⁰, S. Kama⁴⁰, A. Kamenshchikov¹³⁰, N. Kanaya¹⁵⁵, M. Kaneda³⁰, S. Kaneti²⁸, V.A. Kantserov⁹⁸, J. Kanzaki⁶⁶, B. Kaplan¹¹⁰, A. Kapliy³¹, D. Kar⁵³, K. Karakostas¹⁰, A. Karamaoun³, N. Karastathis^{10,107}, M.J. Kareem⁵⁴, M.

Karnevskiy83, S.N. Karpov65, Z.M. Karpova65, K. Karthik110, V. Kartvelishvili72, A.N. Karyukhin130, L. Kashif173, R.D. Kass111, A. Kastanas14, Y. Kataoka155, A. Katre49, J. Katzy42, K. Kawagoe70, T. Kawamoto155, G. Kawamura54, S. Kazama155, V.F. Kazanin109,c, M.Y. Kazarinov65, R. Keeler169, R. Kehoe40, J.S. Keller42, J.J. Kempster77, H. Keoshkerian84, O. Kepka127, B.P. Kerševan75, S. Kersten175, R.A. Keyes87, F. Khalil-zada11, H. Khandanyan146a,146b, A. Khanov114, A.G. Kharlamov109,c, T.J. Khoo28, V. Khovanskiy97, E. Khramov65, J. Khubua51b,t, H.Y. Kim8, H. Kim146a,146b, S.H. Kim160, Y. Kim31, N. Kimura154, O.M. Kind16, B.T. King74, M. King167, R.S.B. King120, S.B. King168, J. Kirk131, A.E. Kiryunin101, T. Kishimoto67, D. Kisielewska38a, F. Kiss48, K. Kiuchi160, O. Kivernyk136, E. Kladiwa144b, M.H. Klein35, M. Klein74, U. Klein74, K. Kleinknecht83, P. Klimek146a,146b, A. Klimentov25, R. Klingenberg43, J.A. Klinger84, T. Klioutchnikova30, E.-E. Kluge58a, P. Kluit107, S. Kluth101, E. Kneringer62, E.B.F.G. Knoops85, A. Knue53, A. Kobayashi155, D. Kobayashi157, T. Kobayashi155, M. Kobel44, M. Kocian143, P. Kodys129, T. Koffas29, E. Koffeman107, L.A. Kogan120, S. Kohlmann175, Z. Kohout128, T. Kohriki66, T. Koi143, H. Kolanoski16, I. Koletsou5, A.A. Komar96,*, Y. Komori155, T. Kondo66, N. Kondrashova42, K. Köneke48, A.C. König106, S. König83, T. Kono66,u, R. Konoplich110,v, N. Konstantinidis78, R. Kopeliansky152, S. Koperny38a, L. Köpke83, A.K. Kopp48, K. Korcy139, K. Kordas154, A. Korn78, A.A. Korol109,c, I. Korolkov12, E.V. Korolkova139, O. Kortner101, S. Kortner101, T. Kosek129, V.V. Kostyukhin21, V.M. Kotov65, A. Kotwal45, A. Kourkoumeli-Charalampidi154, C. Kourkoumelis9, V. Kouskoura25, A. Koutsman159a, R. Kowalewski169, T.Z. Kowalski38a, W. Kozanecki136, A.S. Kozhin130, V.A. Kramarenko99, G. Kramberger75, D. Krasnopevtsev98, M.W. Krasny80, A. Krasznahorkay30, J.K. Kraus21, A. Kravchenko25, S. Kreiss110, M. Kretz58c, J. Kretzschmar74, K. Kreutzfeldt52, P. Krieger158, K. Krizka31, K. Kroeninger43, H. Kroha101, J. Kroll122, J. Kroseberg21, J. Krstic13, U. Kruchonak65, H. Krüger21, N. Krumnack64, Z.V. Krumshteyn65, A. Kruse173, M.C. Kruse45, M. Kruskal22, T. Kubota88, H. Kucuk78, S. Kудay4c, S. Kuehn48, A. Kugel58c, F. Kuger174, A. Kuhl137, T. Kuhl42, V. Kukhtin65, Y. Kulchitsky92, S. Kuleshov32b, M. Kuna132a,132b, T. Kunigo68, A. Kupco127, H. Kurashige67, Y.A. Kurochkin92, R. Kurumida67, V. Kus127, E.S. Kuwertz169, M. Kuze157, J. Kvita115, T. Kwan169, D. Kyriazopoulos139, A. La Rosa49, J.L. La Rosa Navarro24d, L. La Rotonda37a,37b, C. Lacasta167, F. Lacava132a,132b, J. Lacey29, H. Lacker16, D. Lacour80, V.R. Lacuesta167, E. Ladygin65, R. Lafaye5, B. Laforge80, T. Lagouri176, S. Lai48, L. Lambourne78, S. Lammers61, C.L. Lampen7, W. Lampl7, E. Lançon136, U. Landgraf48, M.P.J. Landon76, V.S. Lang58a, J.C. Lange12, A.J. Lankford163, F. Lanni25, K. Lantzsich30, S. Laplace80, C. Lapoire30, J.F. Laporte136, T. Lari91a, F. Lasagni Manghi20a,20b, M. Lassnig30, P. Laurelli47, W. Lavrijsen15, A.T. Law137, P. Laycock74, O. Le Dortz80, E. Le Guirriec85, E. Le Menedeu12, M. LeBlanc169, T. LeCompte6, F. Ledroit-Guillon55, C.A. Lee145b, S.C. Lee151, L. Lee1, G. Lefebvre80, M. Lefebvre169, F. Legger100, C. Leggett15, A. Lehan74, G. Lehmann Miotto30, X. Lei7, W.A. Leight29, A. Leisos154, A.G. Leister176,

M.A.L. Leite24d, R. Leitner129, D. Lellouch172, B. Lemmer54, K.J.C. Leney78, T. Lenz21, B. Lenzi30, R. Leone7, S. Leone124a,124b, C. Leonidopoulos46, S. Leontsinis10, C. Leroy95, C.G. Lester28, M. Levchenko123, J. Levêque5, D. Levin89, L.J. Levinson172, M. Levy18, A. Lewis120, A.M. Leyko21, M. Leyton41, B. Li33b,w, H. Li148, H.L. Li31, L. Li45, L. Li33e, S. Li45, Y. Li33c,x, Z. Liang137, H. Liao34, B. Liberti133a, A. Liblong158, P. Lichard30, K. Lie165, J. Liebal21, W. Liebig14, C. Limbach21, A. Limosani150, S.C. Lin151,y, T.H. Lin83, F. Linde107, B.E. Lindquist148, J.T. Linnemann90, E. Lipeles122, A. Lipniacka14, M. Lisovyi42, T.M. Liss165, D. Lissauer25, A. Lister168, A.M. Litke137, B. Liu151,z, D. Liu151, J. Liu85, J.B. Liu33b, K. Liu85, L. Liu165, M. Liu45, M. Liu33b, Y. Liu33b, M. Livan121a,121b, A. Lleres55, J. Llorente Merino82, S.L. Lloyd76, F. Lo Sterzo151, E. Lobodzinska42, P. Loch7, W.S. Lockman137, F.K. Loebinger84, A.E. Loevschall-Jensen36, A. Loginov176, T. Lohse16, K. Lohwasser42, M. Lokajicek127, B.A. Long22, J.D. Long89, R.E. Long72, K.A. Looper111, L. Lopes126a, D. Lopez Mateos57, B. Lopez Paredes139, I. Lopez Paz12, J. Lorenz100, N. Lorenzo Martinez61, M. Losada162, P. Loscutoff15, P.J. Lösel100, X. Lou33a, A. Lounis117, J. Love6, P.A. Love72, N. Lu89, H.J. Lubatti138, C. Luci132a,132b, A. Lucotte55, F. Luehring61, W. Lukas62, L. Luminari132a, O. Lundberg146a,146b, B. Lund-Jensen147, D. Lynn25, R. Lysak127, E. Lytken81, H. Ma25, L.L. Ma33d, G. Maccarrone47, A. Macchiolo101, C.M. Macdonald139, J. Machado Miguens122,126b, D. Macina30, D. Madaffari85, R. Madar34, H.J. Maddocks72, W.F. Mader44, A. Madsen166, S. Maeland14, T. Maeno25, A. Maevskiy99, E. Magradze54, K. Mahboubi48, J. Mahlstedt107, C. Maiani136, C. Maidantchik24a, A.A. Maier101, T. Maier100, A. Maio126a,126b,126d, S. Majewski116, Y. Makida66, N. Makovec117, B. Malaescu80, Pa. Malecki39, V.P. Maleev123, F. Malek55, U. Mallik63, D. Malon6, C. Malone143, S. Maltezos10, V.M. Malyshev109, S. Malyukov30, J. Mamuzic42, G. Mancini47, B. Mandelli30, L. Mandelli91a, I. Mandić75, R. Mandrysch63, J. Maneira126a,126b, A. Manfredini101, L. Manhaes de Andrade Filho24b, J. Manjarres Ramos159b, A. Mann100, P.M. Manning137, A. Manousakis-Katsikakis9, B. Mansoulie136, R. Mantifel87, M. Mantoani54, L. Mapelli30, L. March145c, G. Marchiori80, M. Marcisovsky127, C.P. Marino169, M. Marjanovic13, F. Marroquim24a, S.P. Marsden84, Z. Marshall15, L.F. Marti17, S. Marti-Garcia167, B. Martin90, T.A. Martin170, V.J. Martin46, B. Martin dit Latour14, M. Martinez12,o, S. Martin-Haugh131, V.S. Martoiu26a, A.C. Martyniuk78, M. Marx138, F. Marzano132a, A. Marzin30, L. Masetti83, T. Mashimo155, R. Mashinistov96, J. Masik84, A.L. Maslennikov109,c, I. Massa20a,20b, L. Massa20a,20b, N. Massol5, P. Mastrandrea148, A. Mastroberardino37a,37b, T. Masubuchi155, P. Mättig175, J. Mattmann83, J. Maurer26a, S.J. Maxfield74, D.A. Maximov109,c, R. Mazini151, S.M. Mazza91a,91b, L. Mazzaferro133a,133b, G. Mc Goldrick158, S.P. Mc Kee89, A. McCarn89, R.L. McCarthy148, T.G. McCarthy29, N.A. McCubbin131, K.W. McFarlane56,*, J.A. Mcfayden78, G. Mchedlidze54, S.J. McMahan131, R.A. McPherson169,k, M. Medinnis42, S. Meehan145a, S. Mehlhase100, A. Mehta74, K. Meier58a, C. Meineck100, B. Meirose41, B.R. Mellado Garcia145c, F. Meloni17, A. Mengarelli20a,20b, S. Menke101, E. Meoni161,

K.M. Mercurio57, S. Mergelmeyer21, P. Mermod49, L. Merola104a,104b, C. Meroni91a, F.S. Merritt31, A. Messina132a,132b, J. Metcalfe25, A.S. Mete163, C. Meyer83, C. Meyer122, J-P. Meyer136, J. Meyer107, R.P. Middleton131, S. Miglioranz164a,164c, L. Mijović21, G. Mikenberg172, M. Mikesstikova127, M. Mikuž75, M. Milesi88, A. Milic30, D.W. Miller31, C. Mills46, A. Milov172, D.A. Milstead146a,146b, A.A. Minaenko130, Y. Minami155, I.A. Minashvili65, A.I. Mincer110, B. Mindur38a, M. Mineev65, Y. Ming173, L.M. Mir12, T. Mitani171, J. Mitrevski100, V.A. Mitsou167, A. Miucci49, P.S. Miyagawa139, J.U. Mjörnmark81, T. Moa146a,146b, K. Mochizuki85, S. Mohapatra35, W. Mohr48, S. Molander146a,146b, R. Moles-Valls167, K. Mönig42, C. Monini55, J. Monk36, E. Monnier85, J. Montejo Berlingen12, F. Monticelli71, S. Monzani132a,132b, R.W. Moore3, N. Morange117, D. Moreno162, M. Moreno Llácer54, P. Morettini50a, M. Morgenstern44, M. Morii57, M. Morinaga155, V. Morisbak119, S. Moritz83, A.K. Morley147, G. Mornacchi30, J.D. Morris76, S.S. Mortensen36, A. Morton53, L. Morvaj103, H.G. Moser101, M. Mosidze51b, J. Moss111, K. Motohashi157, R. Mount143, E. Mountricha25, S.V. Mouraviev96,*, E.J.W. Moyses86, S. Muanza85, R.D. Mudd18, F. Mueller101, J. Mueller125, K. Mueller21, R.S.P. Mueller100, T. Mueller28, D. Muenstermann49, P. Mullen53, Y. Munwes153, J.A. Murillo Quijada18, W.J. Murray170,131, H. Musheghyan54, E. Musto152, A.G. Myagkov130,aa, M. Myska128, O. Nackenhorst54, J. Nadal54, K. Nagai120, R. Nagai157, Y. Nagai85, K. Naganoo66, A. Nagarkar111, Y. Nagasaka59, K. Nagata160, M. Nagel101, E. Nagy85, A.M. Nairz30, Y. Nakahama30, K. Nakamura66, T. Nakamura155, I. Nakano112, H. Namasivayam41, R.F. Naranjo Garcia42, R. Narayan31, T. Naumann42, G. Navarro162, R. Nayyar7, H.A. Neal89, P.Yu. Nechaeva96, T.J. Neep84, P.D. Nef143, A. Negri121a,121b, M. Negrini20a, S. Nektarijevic106, C. Nellist117, A. Nelson163, S. Nemecek127, P. Nemethy110, A.A. Nepomuceno24a, M. Nessi30,ab, M.S. Neubauer165, M. Neumann175, R.M. Neves110, P. Nevski25, P.R. Newman18, D.H. Nguyen6, R.B. Nicker-son120, R. Nicolaidou136, B. Nicquevert30, J. Nielsen137, N. Nikiforou35, A. Nikiforov16, V. Nikolaenko130,aa, I. Nikolic-Audit80, K. Nikolopoulos18, J.K. Nilsen119, P. Nilsson25, Y. Ninomiya155, A. Nisati132a, R. Nisius101, T. Nobre157, M. Nomachi118, I. Nomidis29, T. Nooney76, S. Norberg113, M. Nordberg30, O. Novgorodova44, S. Nowak101, M. Nozaki66, L. Nozka115, K. Ntekas10, G. Nunes Hanninger88, T. Nunnemann100, E. Nurse78, F. Nuti88, B.J. O' Brien46, F. O' grady7, D.C. O' Neil142, V. O' Shea53, F.G. Oakham29,d, H. Oberlack101, T. Obermann21, J. Ocariz80, A. Ochi67, I. Ochoa78, S. Oda70, S. Odaka66, H. Ogren61, A. Oh84, S.H. Oh45, C.C. Ohm15, H. Ohman166, H. Oide30, W. Okamura118, H. Okawa160, Y. Okumura31, T. Okuyama155, A. Olariu26a, S.A. Olivares Pino46, D. Oliveira Damazio25, E. Oliver Garcia167, A. Olszewski39, J. Olszowska39, A. Onofre126a,126e, P.U.E. Onyisi31,q, C.J. Oram159a, M.J. Oreglia31, Y. Oren153, D. Orestano134a,134b, N. Orlando154, C. Oropeza Barrera53, R.S. Orr158, B. Osculati50a,50b, R. Ospanov84, G. Otero y Garzon27, H. Otono70, M. Ouchrif135d, E.A. Ouel-lette169, F. Ould-Saada119, A. Ouraou136, K.P. Oussoren107, Q. Ouyang33a, A. Ovcharova15, M. Owen53, R.E. Owen18, V.E. Ozcan19a, N. Ozturk8,

K. Pachal¹⁴², A. Pacheco Pages¹², C. Padilla Aranda¹², M. Pagáčová⁴⁸, S. Pagan Griso¹⁵, E. Paganis¹³⁹, C. Pahl¹⁰¹, F. Paige²⁵, P. Pais⁸⁶, K. Pajchel¹¹⁹, G. Palacino^{159b}, S. Palestini³⁰, M. Palka^{38b}, D. Pallin³⁴, A. Palma^{126a,126b}, Y.B. Pan¹⁷³, E. Panagiotopoulou¹⁰, C.E. Pandini⁸⁰, J.G. Panduro Vazquez⁷⁷, P. Pani^{146a,146b}, S. Panitkin²⁵, L. Paolozzi⁴⁹, Th.D. Papadopoulou¹⁰, K. Papageorgiou¹⁵⁴, A. Paramonov⁶, D. Paredes Hernandez¹⁵⁴, M.A. Parker²⁸, K.A. Parker¹³⁹, F. Parodi^{50a,50b}, J.A. Parsons³⁵, U. Parzefall⁴⁸, E. Pasqualucci^{132a}, S. Passaggio^{50a}, F. Pastore^{134a,134b,*}, Fr. Pastore⁷⁷, G. Pásztor²⁹, S. Pataria¹⁷⁵, N.D. Patel¹⁵⁰, J.R. Pater⁸⁴, T. Pauly³⁰, J. Pearce¹⁶⁹, B. Pearson¹¹³, L.E. Pedersen³⁶, M. Pedersen¹¹⁹, S. Pedraza Lopez¹⁶⁷, R. Pedro^{126a,126b}, S.V. Peleganchuk¹⁰⁹, D. Pelikan¹⁶⁶, H. Peng^{33b}, B. Penning³¹, J. Penwell⁶¹, D.V. Perepelitsa²⁵, E. Perez Codina^{159a}, M.T. Pérez García-Estañ¹⁶⁷, L. Perini^{91a,91b}, H. Pernegger³⁰, S. Perrella^{104a,104b}, R. Peschke⁴², V.D. Peshekhonov⁶⁵, K. Peters³⁰, R.F.Y. Peters⁸⁴, B.A. Petersen³⁰, T.C. Petersen³⁶, E. Petit⁴², A. Petridis^{146a,146b}, C. Petridou¹⁵⁴, E. Petrolo^{132a}, F. Petrucci^{134a,134b}, N.E. Petterson¹⁵⁷, R. Pezoa^{32b}, P.W. Phillips¹³¹, G. Piacquadio¹⁴³, E. Pianori¹⁷⁰, A. Picazio⁴⁹, E. Piccaro⁷⁶, M. Piccinini^{20a,20b}, M.A. Pickering¹²⁰, R. Piegai²⁷, D.T. Pignotti¹¹¹, J.E. Pilcher³¹, A.D. Pilkington⁸⁴, J. Pina^{126a,126b,126d}, M. Pinamonti^{164a,164c,ac}, J.L. Pinfeld³, A. Pingel³⁶, B. Pinto^{126a}, S. Pires⁸⁰, M. Pitt¹⁷², C. Pizio^{91a,91b}, L. Plazak^{144a}, M.-A. Pleier²⁵, V. Pleskot¹²⁹, E. Plotnikova⁶⁵, P. Plucinski^{146a,146b}, D. Pluth⁶⁴, R. Poettgen⁸³, L. Poggioli¹¹⁷, D. Pohl²¹, G. Polesello^{121a}, A. Policicchio^{37a,37b}, R. Polifka¹⁵⁸, A. Polini^{20a}, C.S. Pollard⁵³, V. Polychronakos²⁵, K. Pommès³⁰, L. Pontecorvo^{132a}, B.G. Pope⁹⁰, G.A. Popeneciu^{26b}, D.S. Popovic¹³, A. Poppleton³⁰, S. Pospisil¹²⁸, K. Potamianos¹⁵, I.N. Potrap⁶⁵, C.J. Potter¹⁴⁹, C.T. Potter¹¹⁶, G. Poulard³⁰, J. Poveda³⁰, V. Pozdnyakov⁶⁵, P. Prakovorio⁸⁵, A. Pranko¹⁵, S. Prasad³⁰, S. Prell⁶⁴, D. Price⁸⁴, L.E. Price⁶, M. Primavera^{73a}, S. Prince⁸⁷, M. Proissl⁴⁶, K. Prokofiev^{60c}, F. Prokoshin^{32b}, E. Protopapadaki¹³⁶, S. Protopopescu²⁵, J. Proudfoot⁶, M. Przybycien^{38a}, E. Ptacek¹¹⁶, D. Puddu^{134a,134b}, E. Pueschel⁸⁶, D. Poldon¹⁴⁸, M. Purohit^{25,ad}, P. Puzo¹¹⁷, J. Qian⁸⁹, G. Qin⁵³, Y. Qin⁸⁴, A. Quadt⁵⁴, D.R. Quarrie¹⁵, W.B. Quayle^{164a,164b}, M. Queitsch-Maitland⁸⁴, D. Quilty⁵³, S. Raddum¹¹⁹, V. Rad²⁵, V. Radescu⁴², S.K. Radhakrishnan¹⁴⁸, P. Radloff¹¹⁶, P. Rados⁸⁸, F. Ragusa^{91a,91b}, G. Rahal¹⁷⁸, S. Rajagopalan²⁵, M. Rammensee³⁰, C. Rangel-Smith¹⁶⁶, F. Rauscher¹⁰⁰, S. Rave⁸³, T. Ravenscroft⁵³, M. Raymond³⁰, A.L. Read¹¹⁹, N.P. Readioff⁷⁴, D.M. Rebuzzi^{121a,121b}, A. Redelbach¹⁷⁴, G. Redlinger²⁵, R. Reece¹³⁷, K. Reeves⁴¹, L. Rehnisch¹⁶, H. Reisin²⁷, M. Relich¹⁶³, C. Rembser³⁰, H. Ren^{33a}, A. Renaud¹¹⁷, M. Rescigno^{132a}, S. Resconi^{91a}, O.L. Rezanova^{109,c}, P. Reznicek¹²⁹, R. Rezvani⁹⁵, R. Richter¹⁰¹, S. Richter⁷⁸, E. Richter-Was^{38b}, O. Ricken²¹, M. Ridel⁸⁰, P. Rieck¹⁶, C.J. Riegel¹⁷⁵, J. Rieger⁵⁴, M. Rijssenbeek¹⁴⁸, A. Rimoldi^{121a,121b}, L. Rinaldi^{20a}, B. Ristić⁴⁹, E. Ritsch⁶², I. Riu¹², F. Rizatdinova¹¹⁴, E. Rizvi⁷⁶, S.H. Robertson^{87,k}, A. Robichaud-Veronneau⁸⁷, D. Robinson²⁸, J.E.M. Robinson⁸⁴, A. Robson⁵³, C. Roda^{124a,124b}, S. Roe³⁰, O. Røhne¹¹⁹, S. Rolli¹⁶¹, A. Romaniouk⁹⁸, M. Romano^{20a,20b}, S.M. Romano Saez³⁴, E. Romero Adam¹⁶⁷, N. Rompotis¹³⁸, M. Ronzani⁴⁸, L. Roos⁸⁰,

E. Ros167, S. Rosati132a, K. Rosbach48, P. Rose137, P.L. Rosendahl14, O. Rosenthal141, V. Rossetti146a,146b, E. Rossi104a,104b, L.P. Rossi50a, R. Rosten138, M. Rotaru26a, I. Roth172, J. Rothberg138, D. Rousseau117, C.R. Royon136, A. Rozanov85, Y. Rozen152, X. Ruan145c, F. Rubbo143, I. Rubinskiy42, V.I. Rud99, C. Rudolph44, M.S. Rudolph158, F. Rühr48, A. Ruiz-Martinez30, Z. Rurikova48, N.A. Rusakovich65, A. Ruschke100, H.L. Russell138, J.P. Rutherford7, N. Ruthmann48, Y.F. Ryabov123, M. Rybar129, G. Rybkin117, N.C. Ryder120, A.F. Saavedra150, G. Sabato107, S. Sacerdoti27, A. Saddique3, H.F-W. Sadrozinski137, R. Sadykov65, F. Safai Tehrani132a, M. Saimpert136, H. Sakamoto155, Y. Sakurai171, G. Salamanna134a,134b, A. Salamon133a, M. Saleem113, D. Salek107, P.H. Sales De Bruin138, D. Salihagic101, A. Salnikov143, J. Salt167, D. Salvatore37a,37b, F. Salvatore149, A. Salvucci106, A. Salzburger30, D. Sampsonidis154, A. Sanchez104a,104b, J. Sánchez167, V. Sanchez Martinez167, H. Sandaker14, R.L. Sandbach76, H.G. Sander83, M.P. Sanders100, M. Sandhoff175, C. Sandoval162, R. Sandstroem101, D.P.C. Sankey131, M. Sannino50a,50b, A. Sansoni47, C. Santoni34, R. Santonico133a,133b, H. Santos126a, I. Santoyo Castillo149, K. Sapp125, A. Saproinov65, J.G. Saraiva126a,126d, B. Sarrazin21, O. Sasaki66, Y. Sasaki155, K. Sato160, G. Sauvage5,* , E. Sauvan5, G. Savage77, P. Savard158,d, C. Sawyer120, L. Sawyer79,n, J. Saxon31, C. Sbarra20a, A. Sbrizzi20a,20b, T. Scanlon78, D.A. Scannicchio163, M. Scarcella150, V. Scarfone37a,37b, J. Schaarschmidt172, P. Schacht101, D. Schaefer30, R. Schaefer42, J. Schaeffer83, S. Schaepe21, S. Schaetzel58b, U. Schäfer83, A.C. Schaffer117, D. Schaile100, R.D. Schamberger148, V. Scharf58a, V.A. Schegelsky123, D. Scheirich129, M. Schernau163, C. Schiavi50a,50b, C. Schillo48, M. Schioppa37a,37b, S. Schlenker30, E. Schmidt48, K. Schmieden30, C. Schmitt83, S. Schmitt58b, S. Schmitt42, B. Schneider159a, Y.J. Schnellbach74, U. Schnoor44, L. Schoeffel136, A. Schoening58b, B.D. Schoenrock90, E. Schopf21, A.L.S. Schorlemmer54, M. Schott83, D. Schouten159a, J. Schovancova8, S. Schramm158, M. Schreyer174, C. Schroeder83, N. Schuh83, M.J. Schultens21, H.-C. Schultz-Coulon58a, H. Schulz16, M. Schumacher48, B.A. Schumm137, Ph. Schune136, C. Schwanenberger84, A. Schwartzman143, T.A. Schwarz89, Ph. Schwegler101, Ph. Schwemling136, R. Schwienhorst90, J. Schwindling136, T. Schwindt21, M. Schwoerer5, F.G. Sciacca17, E. Scifo117, G. Sciolla23, F. Scuri124a,124b, F. Scutti21, J. Searcy89, G. Sedov42, E. Sedykh123, P. Seema21, S.C. Seidel105, A. Seiden137, F. Seifert128, J.M. Seixas24a, G. Sekhniaidze104a, K. Sekhon89, S.J. Sekula40, K.E. Selbach46, D.M. Seliverstov123,* , N. Semprini-Cesari20a,20b, C. Serfon30, L. Serin117, L. Serkin164a,164b, T. Serre85, M. Sessa134a,134b, R. Seuster159a, H. Severini113, T. Sfiligoj75, F. Sforza101, A. Sfyrla30, E. Shabalina54, M. Shamim116, L.Y. Shan33a, R. Shang165, J.T. Shank22, M. Shapiro15, P.B. Shatalov97, K. Shaw164a,164b, S.M. Shaw84, A. Shcherbakova146a,146b, C.Y. Shehu149, P. Sherwood78, L. Shi151,ae, S. Shimizu67, C.O. Shimmin163, M. Shimojima102, M. Shiyakova65, A. Shmel'eva96, D. Shoaleh Saadi95, M.J. Shochet31, S. Shojaii91a,91b, S. Shrestha111, E. Shulga98, M.A. Shupe7, S. Shushkevich42, P. Sicho127, O. Sidiropoulou174, D. Sidorov114, A. Sidoti20a,20b, F. Siegert44, Dj. Sijacki13, J. Silva126a,126d,

Y. Silver153, S.B. Silverstein146a, V. Simak128, O. Simard5, Lj. Simic13, S. Simion117, E. Simioni83, B. Simmons78, D. Simon34, R. Simoniello91a,91b, P. Sinervo158, N.B. Sinev116, G. Siragusa174, A.N. Sisakyan65,*, S.Yu. Sivoklov99, J. Sjölin146a,146b, T.B. Sjursen14, M.B. Skinner72, H.P. Skottowe57, P. Skubic113, M. Slater18, T. Slavicek128, M. Slawinska107, K. Sliwa161, V. Smakhtin172, B.H. Smart46, L. Smestad14, S.Yu. Smirnov98, Y. Smirnov98, L.N. Smirnova99,af, O. Smirnova81, M.N.K. Smith35, M. Smizanska72, K. Smolek128, A.A. Snesarev96, G. Snidero76, S. Snyder25, R. Sobie169,k, F. Socher44, A. Soffer153, D.A. Soh151,ae, C.A. Solans30, M. Solar128, J. Solc128, E.Yu. Soldatov98, U. Soldevila167, A.A. Solodkov130, A. Soloshenko65, O.V. Solovyanov130, V. Solovyev123, P. Sommer48, H.Y. Song33b, N. Soni1, A. Sood15, A. Sopczak128, B. Sopko128, V. Sopko128, V. Sorin12, D. Sosa58b, M. Sosebee8, C.L. Sotiropoulou124a,124b, R. Soualah164a,164c, P. Soueid95, A.M. Soukharev109,c, D. South42, S. Spagnolo73a,73b, M. Spalla124a,124b, F. Spanò77, W.R. Spearman57, F. Spettell101, R. Spighi20a, G. Spigo30, L.A. Spiller88, M. Spousta129, T. Spreitzer158, R.D. St. Denis53,*, S. Staerz44, J. Stahlman122, R. Stamen58a, S. Stamm16, E. Stanecka39, C. Stanescu134a, M. Stanescu-Bellu42, M.M. Stanitzki42, S. Stapnes119, E.A. Starchenko130, J. Stark55, P. Staroba127, P. Starovoitov42, R. Staszewski39, P. Stavina144a,*, P. Steinberg25, B. Stelzer142, H.J. Stelzer30, O. Stelzer-Chilton159a, H. Stenzel52, S. Stern101, G.A. Stewart53, J.A. Stillings21, M.C. Stockton87, M. Stoebe87, G. Stoicea26a, P. Stolte54, S. Stonjek101, A.R. Stradling8, A. Straessner44, M.E. Stramaglia17, J. Strandberg147, S. Strandberg146a,146b, A. Strandlie119, E. Strauss143, M. Strauss113, P. Strizenec144b, R. Ströhmer174, D.M. Strom116, R. Stroynowski40, A. Strubig106, S.A. Stucci17, B. Stugu14, N.A. Styles42, D. Su143, J. Su125, R. Subramaniam79, A. Succurro12, Y. Sugaya118, C. Suhr108, M. Suk128, V.V. Sulin96, S. Sultansoy4d, T. Sumida68, S. Sun57, X. Sun33a, J.E. Sundermann48, K. Suruliz149, G. Susinno37a,37b, M.R. Sutton149, S. Suzuki66, Y. Suzuki66, M. Svatos127, S. Swedish168, M. Swiatlowski143, I. Sykora144a, T. Sykora129, D. Ta90, C. Taccini134a,134b, K. Tackmann42, J. Taenzer158, A. Taffard163, R. Tafirout159a, N. Taiblum153, H. Takai25, R. Takashima69, H. Takeda67, T. Takeshita140, Y. Takubo66, M. Talby85, A.A. Talyshev109,c, J.Y.C. Tam174, K.G. Tan88, J. Tanaka155, R. Tanaka117, S. Tanaka66, B.B. Tannenwald111, N. Tannoury21, S. Tapprogge83, S. Tarem152, F. Tarrade29, G.F. Tartarelli91a, P. Tas129, M. Tasevsky127, T. Tashiro68, E. Tassi37a,37b, A. Tavares Delgado126a,126b, Y. Tayalati135d, F.E. Taylor94, G.N. Taylor88, W. Taylor159b, F.A. Teischinger30, M. Teixeira Dias Castanheira76, P. Teixeira-Dias77, K.K. Temming48, H. Ten Kate30, P.K. Teng151, J.J. Teoh118, F. Tepel175, S. Terada66, K. Terashi155, J. Terron82, S. Terzo101, M. Testa47, R.J. Teuscher158,k, J. Therhaag21, T. Theveneaux-Pelzer34, J.P. Thomas18, J. Thomas-Wilsker77, E.N. Thompson35, P.D. Thompson18, R.J. Thompson84, A.S. Thompson53, L.A. Thomsen36, E. Thomson122, M. Thomson28, R.P. Thun89,*, M.J. Tibbetts15, R.E. Ticse Torres85, V.O. Tikhomirov96,ag, Yu.A. Tikhonov109,c, S. Timoshenko98, E. Tiouchichine85, P. Tipton176, S. Tisserant85, T. Todorov5,*, S. Todorova-Nova129, J. Tojo70, S. Tokár144a, K. Tokushuku66, K. Tollefson90, E.

Tolley57, L. Tomlinson84, M. Tomoto103, L. Tompkins143,ah, K. Toms105, E. Torrence116, H. Torres142, E. Torró Pastor167, J. Toth85,ai, F. Touchard85, D.R. Tovey139, T. Trefzger174, L. Tremblet30, A. Tricoli30, I.M. Trigger159a, S. Trincaz-Duvoid80, M.F. Tripiana12, W. Trischuk158, B. Trocmé55, C. Troncon91a, M. Trottier-McDonald15, M. Trovatelli134a,134b, P. True90, L. Truong164a,164c, M. Trzebinski39, A. Trzuppek39, C. Tsarouchas30, J.C-L. Tseng120, P.V. Tsiarehka92, D. Tsiou154, G. Tsiopolitis10, N. Tsirintanis9, S. Tsiskaridze12, V. Tsiskaridze48, E.G. Tskhadadze51a, I.I. Tsukerman97, V. Tsulaia15, S. Tsuno66, D. Tsybychev148, A. Tudorache26a, V. Tudorache26a, A.N. Tuna122, S.A. Tupputi20a,20b, S. Turchikhin99,af, D. Turecek128, R. Turra91a,91b, A.J. Turvey40, P.M. Tuts35, A. Tykhonov49, M. Tylmad146a,146b, M. Tyndel131, I. Ueda155, R. Ueno29, M. Ughetto146a,146b, M. Ugland14, M. Uhlenbrock21, F. Ukegawa160, G. Unal30, A. Undrus25, G. Unell163, F.C. Ungaro48, Y. Unno66, C. Unverdorben100, J. Urban144b, P. Urquijo88, P. Urrejola83, G. Usai8, A. Usanova62, L. Vacavant85, V. Vacek128, B. Vachon87, C. Valderanis83, N. Valencic107, S. Valentinetti20a,20b, A. Valero167, L. Valery12, S. Valkar129, E. Valladolid Gallego167, S. Vallecorsa49, J.A. Valls Ferrer167, W. Van Den Wollenberg107, P.C. Van Der Deijl107, R. van der Geer107, H. van der Graaf107, R. Van Der Leeuw107, N. van Eldik152, P. van Gemmeren6, J. Van Nieuwkoop142, I. van Vulpen107, M.C. van Woerden30, M. Vanadia132a,132b, W. Vandelli30, R. Vanguri122, A. Vaniachine6, F. Vannucci80, G. Vardanyan177, R. Vari132a, E.W. Varnes7, T. Varol40, D. Varouchas80, A. Vartapetian8, K.E. Varvell150, F. Vazeille34, T. Vazquez Schroeder87, J. Veatch7, F. Veloso126a,126c, T. Velz21, S. Veneziano132a, A. Ventura73a,73b, D. Ventura86, M. Venturi169, N. Venturi158, A. Venturini23, V. Vercesi121a, M. Verducci132a,132b, W. Verkerke107, J.C. Vermeulen107, A. Vest44, M.C. Vetterli142,d, O. Viazlo81, I. Vichou165, T. Viekey139, O.E. Vickey Boeriu139, G.H.A. Viehhauser120, S. Viel15, R. Vigne30, M. Villa20a,20b, M. Villaplana Perez91a,91b, E. Vilucchi47, M.G. Vincter29, V.B. Vinogradov65, I. Vivarelli149, F. Vives Vaque3, S. Vlachos10, D. Vladoiu100, M. Vlasak128, M. Vogel32a, P. Vokac128, G. Volpi124a,124b, M. Volpi88, H. von der Schmitt101, H. von Radziewski48, E. von Toerne21, V. Vorobel129, K. Vorobev98, M. Vos167, R. Voss30, J.H. Vossebeld74, N. Vranjes13, M. Vranjes Milosavljevic13, V. Vrba127, M. Vreeswijk107, R. Vuillermet30, I. Vukotic31, Z. Vykydal128, P. Wagner21, W. Wagner175, H. Wahlberg71, S. Wahrmund44, J. Wakabayashi103, J. Walder72, R. Walker100, W. Walkowiak141, C. Wang33c, F. Wang173, H. Wang15, H. Wang40, J. Wang42, J. Wang33a, K. Wang87, R. Wang6, S.M. Wang151, T. Wang21, X. Wang176, C. Wanotayaroj116, A. Warburton87, C.P. Ward28, D.R. Wardrope78, M. Warsinsky48, A. Washbrook46, C. Wasicki42, P.M. Watkins18, A.T. Watson18, I.J. Watson150, M.F. Watson18, G. Watts138, S. Watts84, B.M. Waugh78, S. Webb84, M.S. Weber17, S.W. Weber174, J.S. Webster31, A.R. Weidberg120, B. Weinert61, J. Weingarten54, C. Weiser48, H. Weits107, P.S. Wells30, T. Wenaus25, T. Wengler30, S. Wenig30, N. Wermes21, M. Werner48, P. Werner30, M. Wessels58a, J. Wetter161, K. Whalen29, A.M. Wharton72, A. White8, M.J. White1, R. White32b, S. White124a,124b, D. Whiteson163, F.J. Wickens131,

W. Wiedenmann¹⁷³, M. Wielers¹³¹, P. Wienemann²¹, C. Wiglesworth³⁶, L.A.M. Wiik-Fuchs²¹, A. Wildauer¹⁰¹, H.G. Wilkens³⁰, H.H. Williams¹²², S. Williams¹⁰⁷, C. Willis⁹⁰, S. Willocq⁸⁶, A. Wilson⁸⁹, J.A. Wilson¹⁸, I. Wingerter-Seez⁵, F. Winklmeier¹¹⁶, B.T. Winter²¹, M. Wittgen¹⁴³, J. Wittkowski¹⁰⁰, S.J. Wollstadt⁸³, M.W. Wolter³⁹, H. Wolters^{126a,126c}, B.K. Wosiek³⁹, J. Wotschack³⁰, M.J. Woudstra⁸⁴, K.W. Wozniak³⁹, M. Wu⁵⁵, M. Wu³¹, S.L. Wu¹⁷³, X. Wu⁴⁹, Y. Wu⁸⁹, T.R. Wyatt⁸⁴, B.M. Wynne⁴⁶, S. Xella³⁶, D. Xu^{33a}, L. Xu^{33b,aj}, B. Yabsley¹⁵⁰, S. Yacoob^{145b,ak}, R. Yakabe⁶⁷, M. Yamada⁶⁶, Y. Yamaguchi¹¹⁸, A. Yamamoto⁶⁶, S. Yamamoto¹⁵⁵, T. Yamanaka¹⁵⁵, K. Yamauchi¹⁰³, Y. Yamazaki⁶⁷, Z. Yan²², H. Yang^{33e}, H. Yang¹⁷³, Y. Yang¹⁵¹, L. Yao^{33a}, W-M. Yao¹⁵, Y. Yasu⁶⁶, E. Yatsenko⁵, K.H. Yau Wong²¹, J. Ye⁴⁰, S. Ye²⁵, I. Yeletsikh⁶⁵, A.L. Yen⁵⁷, E. Yildirim⁴², K. Yorita¹⁷¹, R. Yoshida⁶, K. Yoshihara¹²², C. Young¹⁴³, C.J.S. Young³⁰, S. Youssef²², D.R. Yu¹⁵, J. Yu⁸, J.M. Yu⁸⁹, J. Yu¹¹⁴, L. Yuan⁶⁷, A. Yurkewicz¹⁰⁸, I. Yusuff^{28,al}, B. Zabinski³⁹, R. Zaidan⁶³, A.M. Zaitsev^{130,aa}, J. Zalieckas¹⁴, A. Zaman¹⁴⁸, S. Zambito⁵⁷, L. Zanello^{132a,132b}, D. Zanzi⁸⁸, C. Zeitnitz¹⁷⁵, M. Zeman¹²⁸, A. Zemla^{38a}, K. Zengel²³, O. Zenin¹³⁰, T. Ženiš^{144a}, D. Zerwas¹¹⁷, D. Zhang⁸⁹, F. Zhang¹⁷³, J. Zhang⁶, L. Zhang⁴⁸, R. Zhang^{33b}, X. Zhang^{33d}, Z. Zhang¹¹⁷, X. Zhao⁴⁰, Y. Zhao^{33d,117}, Z. Zhao^{33b}, A. Zhemchugov⁶⁵, J. Zhong¹²⁰, B. Zhou⁸⁹, C. Zhou⁴⁵, L. Zhou³⁵, L. Zhou⁴⁰, N. Zhou¹⁶³, C.G. Zhu^{33d}, H. Zhu^{33a}, J. Zhu⁸⁹, Y. Zhu^{33b}, X. Zhuang^{33a}, K. Zhukov⁹⁶, A. Zibell¹⁷⁴, D. Zieminska⁶¹, N.I. Zimine⁶⁵, C. Zimmermann⁸³, S. Zimmermann⁴⁸, Z. Zinonos⁵⁴, M. Zinser⁸³, M. Ziolkowski¹⁴¹, L. Živković¹³, G. Zobernig¹⁷³, A. Zoccoli^{20a,20b}, M. zur Nedden¹⁶, G. Zurzolo^{104a,104b}, L. Zwalinski³⁰.

Affiliations

¹ Department of Physics, University of Alberta, Edmonton AB, Canada

² (a) Department of Physics, Ankara University, Ankara; (c) Istanbul Aydin University, Istanbul; (d) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

³ Department of Physics, University of Arizona, Tucson AZ, United States of America

⁴ Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America

⁵ Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain

⁶ Department for Physics and Technology, University of Bergen, Bergen, Norway

⁷ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America

⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High

Energy Physics, University of Bern, Bern, Switzerland

⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

¹⁰ (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics, Dogus University, Istanbul; (c) Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey

¹¹ (a) INFN Sezione di Bologna; (b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

¹² Department of Physics, Brandeis University, Waltham MA, United States of America

¹³ (a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; (c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; (d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil

¹⁴ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America

¹⁵ (a) National Institute of Physics and Nuclear Engineering, Bucharest; (b) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; (c) University Politehnica Bucharest, Bucharest; (d) West University in Timisoara, Timisoara, Romania

¹⁶ Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America

¹⁷ (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

¹⁸ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Modern Physics, University of Science and Technology of China, Anhui; (c) Department of Physics, Nanjing University, Jiangsu; (d) School of Physics, Shandong University, Shandong; (e) Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai; (f) Physics Department, Tsinghua University, Beijing 100084, China

¹⁹ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France

²⁰ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark

²¹ (a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; (b) Dipartimento di Fisica, Università della Calabria, Rende, Italy

²² (a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics,

Jagiellonian University, Krakow, Poland

²³ Section de Physique, Université de Genève, Geneva, Switzerland

²⁴ (a) INFN Sezione di Genova; (b) Dipartimento di Fisica, Università di Genova, Genova, Italy

²⁵ (a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

²⁶ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France

²⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America

²⁸ (a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

²⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

³⁰ (a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (b) Department of Physics, The University of Hong Kong, Hong Kong; (c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China

³¹ Physics Department, Lancaster University, Lancaster, United Kingdom

³² (a) INFN Sezione di Lecce; (b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy

³³ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France

³⁴ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America

³⁵ (a) INFN Sezione di Milano; (b) Dipartimento di Fisica, Università di Milano, Milano, Italy

³⁶ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus

³⁷ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus

³⁸ Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States of America

³⁹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia

⁴⁰ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan

⁴¹ (a) INFN Sezione di Napoli; (b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy

⁴² Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America

⁴³ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands

⁴⁴ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands

⁴⁵ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America

⁴⁶ Department of Physics, Oxford University, Oxford, United Kingdom

⁴⁷ (a) INFN Sezione di Pavia; (b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy

⁴⁸ Petersburg Nuclear Physics Institute, Gatchina, Russia

⁴⁹ (a) INFN Sezione di Pisa; (b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy

⁵⁰ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America

⁵¹ (a) Laboratorio de Instrumentacao e Fisica Experimental de Particulas - LIP, Lisboa; (b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Department of Physics, University of Coimbra, Coimbra; (d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (e) Departamento de Fisica, Universidade do Minho, Braga; (f) Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); (g) Dep Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal

⁵² Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

⁵³ (a) INFN Sezione di Roma; (b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy

⁵⁴ (a) INFN Sezione di Roma Tor Vergata; (b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy

⁵⁵ (a) INFN Sezione di Roma Tre; (b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy

⁵⁶ (a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (b) Centre National de l'Énergie des Sciences Techniques Nucleaires, Rabat; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; (e) Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco

⁵⁷ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Énergie Atomique et aux Énergies Alternatives), Gif-sur-Yvette, France

⁵⁸ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America

⁵⁹ SLAC National Accelerator Laboratory, Stanford CA, United States of America

⁶⁰ (a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

⁶¹ (a) Department of Physics, University of Cape Town, Cape Town; (b) Department of Physics, University of Johannesburg, Johannesburg; (c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa

⁶² (a) Department of Physics, Stockholm University; (b) The Oskar Klein Centre, Stockholm, Sweden

⁶³ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America

⁶⁴ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel

⁶⁵ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece

⁶⁶ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan

⁶⁷ Department of Physics, University of Toronto, Toronto ON, Canada

⁶⁸ (a) TRIUMF, Vancouver BC; (b) Department of Physics and Astronomy, York University, Toronto ON, Canada

⁶⁹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia

⁷⁰ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America

⁷¹ (a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy

⁷² Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain

⁷³ Yerevan Physics Institute, Yerevan, Armenia

⁷⁴ Centre de Calcul de l' Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

⁷⁵ Also at Department of Physics, King' s College London, London, United Kingdom

⁷⁶ Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

⁷⁷ Also at Novosibirsk State University, Novosibirsk, Russia

⁷⁸ Also at TRIUMF, Vancouver BC, Canada

⁷⁹ Also at Department of Physics, California State University, Fresno CA, United States of America

⁸⁰ Also at Department of Physics, University of Fribourg, Fribourg, Switzerland

⁸¹ Also at Departamento de Física e Astronomia, Faculdade de Ciências, Universidade do Porto, Portugal

⁸² Also at Tomsk State University, Tomsk, Russia

⁸³ Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France

⁸⁴ Also at Università di Napoli Parthenope, Napoli, Italy

⁸⁵ Also at Institute of Particle Physics (IPP), Canada

⁸⁶ Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

⁸⁷ Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia

⁸⁸ Also at Louisiana Tech University, Ruston LA, United States of America

⁸⁹ Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain

⁹⁰ Also at Department of Physics, National Tsing Hua University, Taiwan

⁹¹ Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America

⁹² Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia

⁹³ Also at CERN, Geneva, Switzerland

⁹⁴ Also at Georgian Technical University (GTU), Tbilisi, Georgia

⁹⁵ Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan

⁹⁶ Also at Manhattan College, New York NY, United States of America

⁹⁷ Also at Institute of Physics, Academia Sinica, Taipei, Taiwan

⁹⁸ Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France

⁹⁹ Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan

¹⁰⁰ Also at School of Physics, Shandong University, Shandong, China

¹⁰¹ Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia

¹⁰² Also at Section de Physique, Université de Genève, Geneva, Switzerland

¹⁰³ Also at International School for Advanced Studies (SISSA), Trieste, Italy

¹⁰⁴ Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America

¹⁰⁵ Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China

¹⁰⁶ Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia

¹⁰⁷ Also at National Research Nuclear University MEPhI, Moscow, Russia

¹⁰⁸ Also at Department of Physics, Stanford University, Stanford CA, United States of America

¹⁰⁹ Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary

¹¹⁰ Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America

¹¹¹ Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa

¹¹² Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia

* Deceased

Note: Figure translations are in progress. See original paper for figures.

Source: ChinaXiv – Machine translation. Verify with original.