

**E. A. Dukhovskoi, I. V.
Kragel' skii, A. A. Silin.
Controlling the adhesion
component of friction . . .
560**

1967

SovietRxiv

View the original and related papers at <https://sovietrxiv.org/items/ru-196701.34358>

Source: Math-Net.Ru and CyberLeninka. Machine translation. Verify with the original.

Abstract

Full Text

TECHNICAL PHYSICS

E. A. Dukhovskoi, I. V. Kragel' skii, A. A. Silin. Controlling the adhesion component of friction . . . 560

V. D. Evdokimov. Exoelectronic emission in sliding friction . . . 563

V. V. Nemoshkalenko, V. J. Nagorny. The fine structure of X-ray emission bands in the case of iron-group transition elements . . . 566

GEOPHYSICS

I. N. Meshcherskii, A. P. Raizman. Vertical movements of the earth surface in the Tashkent area . . . 570

E. N. Mikhailova, A. I. Felsenbaum, N. B. Shapiro. A contribution to the non-linear theory of currents at the equator . . . 574

V. V. Shuleikin. Calculation of vertical currents in a sea with a complex bottom relief . . . 578

CRYSTALLOGRAPHY

E. V. Sobolev, V. I. Lisoivan, S. V. Lenskaia. X-ray diffraction spikes as related to optical properties of natural diamonds . . . 582

R. P. Shibaeva, L. O. Atovmian, R. G. Kostianovskii. The structure of the amide group in *n*-bromobenzoylethyleneimine . . . 586

CORRECTIONS

In our article (N. I. Arbuzova, V. L. Danilov, "On a problem of stochastic linear programming and its stability"), published in DAN, vol. 162, No. 1, 1965, the following corrections must be made.

On p. 33, line 5 from the bottom, where it says "ellipsoid," read "parallelepiped."

On p. 33, line 2 from the bottom, where it says "ellipsoid by an ellipsoid," read "parallelepiped by a polyhedron."

On p. 34, line 14 from the bottom, where it says "ellipsoid," read "polyhedron."

On p. 34, line 7 from the bottom, where it says $d > q\sigma$, read $d > nq\sigma$.

N. I. Arbuzova, V. L. Danilov

In my article (G. S. Litvinchuk, “Noether theorems for a class of singular integral equations with shift and conjugation”), published in DAN, vol. 162, No. 1, 1965, in Propositions 2, 3, 4 and Theorem 2 the case of odd n is excluded. The case of odd n is investigated trivially; here $l > 2 \text{Ind } \Delta_n(t)$. In the article this case is illustrated by example (6).

G. Litvinchuk

In the article by I. S. Izrailevich and S. N. Novikov, “A new method for determining the specific surface area (particle size) of powders by comparing the quantities of flows corresponding to different regimes of gas flow in a porous medium,” published in DAN, vol. 165, No. 1, the following corrections must be made.

| | Printed | Should read |
|-----------------------------------|------------------|-----------------------|
| P. 77, line 28 from the bottom | σ_g | G_g |
| line 3 from the bottom | σ_M | G_M |
| P. 78, line 3 from the bottom | r^4/\bar{r}^3 | \bar{r}^4/\bar{r}^3 |
| P. 79, line 1 | a_μ | d_μ |
| P. 79, line 2 | G or \bar{p} | G at \bar{p} |
| P. 79, line 7 | $d_\mu = G/S_0$ | $d_\mu = 6/S_0$ |

Note: Figure translations are in progress. See original paper for figures.

Source: Math-Net.Ru and CyberLeninka. Machine translation. Verify with the original.