



---

Soviet-era science, translated into English

# | | Pages |

|—|—:|

1967

SovietRxiv

---

View the original and related papers at <https://sovietrxiv.org/items/ru-196701.89011>

Source: Math-Net.Ru and CyberLeninka. Machine translation. Verify with the original.

**Abstract****Full Text****TECHNICAL PHYSICS**

---

	Pages
E. A. Dukhovskoi, I. V. Kragel'skii, A. A. Silin. Controlling the adhesion component of friction	560
V. D. Evdokimov. Exoelectronic emission in sliding friction	563
V. V. Nemoshkalenko, V. J. Nagornyi. The fine structure of X-ray emission bands in the case of iron-group transition elements	566

---

**GEOPHYSICS**

---

	Pages
I. N. Meshcherskii, A. P. Raizman. Vertical movements of the earth surface in the Tashkent area	570
E. N. Mikhailova, A. I. Felsenbaum, N. B. Shapiro. A contribution to the non-linear theory of currents at the equator	574
V. V. Shuleikin. Calculation of vertical currents in a sea with a complex bottom relief	578

---

**CRYSTALLOGRAPHY**

---

	Pages
E. V. Sobolev, V. I. Lisoivan, S. V. Lenskaia. X-ray diffraction spikes as related to optical properties of natural diamonds	582

---

---

	Pages
R. P. Shibaeva, L. O. Atovmian, R. G. Kostianovskii. The structure of the amide group in <i>n</i> -bromobenzoylethylenimine	586

## CORRECTIONS

In our article (N. I. Arbuzova, V. L. Danilov, “On a Problem of Stochastic Linear Programming and Its Stability” ), published in DAN, vol. 162, no. 1, 1965, the following corrections must be made.

On p. 33, line 5 from the bottom, where “ellipsoid” is printed, read “parallelepiped.”

On p. 33, line 2 from the bottom, where “ellipsoid by an ellipsoid” is printed, read “parallelepiped by a polyhedron.”

On p. 34, line 14 from the bottom, where “ellipsoid” is printed, read “polyhedron.”

On p. 34, line 7 from the bottom, where  $d > q\zeta$  is printed, read  $d > nq\zeta$ .

*N. I. Arbuzova, V. L. Danilov*

---

In my article (G. S. Litvinchuk, “Noether Theorems for a Class of Singular Integral Equations with Shift and Conjugation” ), published in DAN, vol. 162, no. 1, 1965, assumption 2, 3, 4, and theorem 2 concern the case of even  $n$ . The case of odd  $n$  is studied trivially; here  $l > 2 \text{Ind } \Delta_n(t)$ . In the article this case is illustrated by example (6).

*G. Litvinchuk*

---

In the article by I. S. Izrailevich and S. N. Novikov, “A New Method for Determining the Specific Surface Area (Particle Size) of Powders by Comparing the Magnitudes of Flows Corresponding to Different Regimes of Gas Flow in a Porous Medium,” published in DAN, vol. 165, no. 1, the following corrections must be made.

---

	Printed	Should read
p. 77, line 28 from the bottom	$\sigma_g$	$G_g$
line 3 from the bottom	$\sigma_M$	$G_M$
p. 78, line 3 from the bottom	$r^4/r^3$	$\overline{r^4/r^3}$

	Printed	Should read
p. 79, line 1	$\alpha_\mu$	$d_\mu$
p. 79, line 2	$G$ or $\bar{p}$	$G$ at $\bar{p}$
p. 79, line 7	$d_\mu = G/S_0$	$d_\mu = 6/S_0$

*Note: Figure translations are in progress. See original paper for figures.*

*Source: Math-Net.Ru and CyberLeninka. Machine translation. Verify with the original.*